


GYTS Objectives

The Global Youth Tobacco Survey (GYTS), a component of the Global Tobacco Surveillance System (GTSS), is a global standard for systematically monitoring youth tobacco use (smoking and smokeless) and tracking key tobacco control indicators.

GYTS is a cross-sectional, nationally representative school-based survey of students in grades associated with ages 13 to 15 years. GYTS uses a standard core questionnaire, sample design, and data collection protocol. It assists countries in fulfilling their obligations under the World Health Organization (WHO) Framework Convention on Tobacco Control (FCTC) to generate comparable data within and across countries. WHO has developed MPOWER, a technical package of selected demand reduction measures contained in the WHO FCTC:



GYTS Methodology

GYTS uses a global standardized methodology that includes a two-stage sample design with schools selected with a probability proportional to enrollment size. The classes within selected schools are chosen randomly and all students in selected classes are eligible to participate in the survey. The survey uses a standard core questionnaire with a set of optional questions that countries can adapt to measure and track key tobacco control indicators. The questionnaire covers the following topics: tobacco use (smoking and smokeless), cessation, secondhand smoke (SHS), pro- and anti-tobacco media and advertising, access to and availability of tobacco products, and knowledge and attitudes regarding tobacco use. The questionnaire is self-administered; using scannable paper-based bubble sheets, it is anonymous to ensure confidentiality.

In Chad, GYTS was conducted in 2019 by the National Program Against Tobacco, Drugs and Alcohol, under the coordination of Ministry of Public Health. The overall response rate was 49.7%[§]. A total of 2,296 eligible students in 6 - 3^eme completed the survey, of which 929 were aged 13-15 years. Data are reported for students aged 13-15 years.

GYTS Highlights

TOBACCO USE

- 11.5% of students, 11.2% of boys, and 11.8% of girls currently used any tobacco products.
- 8.1% of students, 8.0% of boys, and 7.7% of girls currently smoked tobacco.
- 1.9% of students, 2.7% of boys, and 0.6% of girls currently smoked cigarettes.
- 5.8% of students, 5.5% of boys, and 6.0% of girls currently used smokeless tobacco.

SECONDHAND SMOKE

- 23.3% of students were exposed to tobacco smoke at home.
- 44.5% of students were exposed to tobacco smoke inside enclosed public places.

MEDIA

- Almost 8 in 10 (79.0%) students noticed anti-tobacco messages in the media.
- Almost 4 in 10 (35.6%) students noticed tobacco advertisements or promotions when visiting points of sale.
- More than 1 in 10 (10.6%) students had something with a tobacco brand logo on it.

KNOWLEDGE & ATTITUDES

- 49.0% of students definitely thought other people's tobacco smoking is harmful to them.
- 63.3% of students favored prohibiting smoking inside enclosed public places.




World Health Organization



The mark "CDC" is owned by the US Dept. of Health and Human Services and is used with permission. Use of this logo is not an endorsement by HHS or CDC of any particular product, service, or enterprise.

TOBACCO USE

SMOKED TOBACCO	OVERALL (%)	BOYS (%)	GIRLS (%)
Current tobacco smokers ¹	8.1	8.0	7.7
Current cigarette smokers ²	1.9	2.7	0.6*
Frequent cigarette smokers ³	0.2	0.4	0.0
Current smokers of other tobacco ⁴	7.0	6.3	7.5
Ever tobacco smokers ⁵	16.1	15.9	15.5
Ever cigarette smokers ⁶	10.1	11.5	7.1*
Ever smokers of other tobacco ⁷	9.5	9.0	10.2
SMOKELESS TOBACCO			
Current smokeless tobacco users ⁸	5.8	5.5	6.0
Ever smokeless tobacco users ⁹	10.1	10.5	9.7
ANY TOBACCO USE (smoked and/or smokeless)			
Current tobacco users ¹⁰	11.5	11.2	11.8
Ever tobacco users ¹¹	21.5	21.1	21.4
SUSCEPTIBILITY			
Never tobacco users susceptible to tobacco use in the future ¹²	17.9	16.4	20.2



SECONDHAND SMOKE

	OVERALL (%)	BOYS (%)	GIRLS (%)
Exposure to tobacco smoke at home ¹³	23.3	26.4	18.5*
Exposure to tobacco smoke inside any enclosed public place ¹³	44.5	46.9	41.6
Exposure to tobacco smoke at any outdoor public place ¹³	36.9	37.5	36.0
Students who saw anyone smoking inside the school building or outside on school property ¹⁴	37.5	36.9	38.5

MEDIA

TOBACCO ADVERTISING	OVERALL (%)	BOYS (%)	GIRLS (%)
Students who noticed tobacco advertisements or promotions at points of sale ¹⁵	35.6	38.1	31.2
Students who saw anyone using tobacco on television, videos, or movies ¹⁶	69.4	70.8	67.7
Students who were ever offered a free tobacco product from a tobacco company representative	8.0	6.6	9.7
Students who had something with a tobacco brand logo on it	10.6	11.3	9.3
ANTI-TOBACCO ADVERTISING			
Students who noticed anti-tobacco messages in the media ¹⁴	79.0	79.5	77.8
Students who noticed anti-tobacco messages at sporting or community events ¹⁷	63.8	65.9	59.3
Current tobacco smokers who thought about quitting because of a warning label ¹⁸	27.6	--	--
Students who were taught in school about the dangers of tobacco use in the past 12 months	48.4	47.7	49.3

KNOWLEDGE & ATTITUDES

	OVERALL (%)	BOYS (%)	GIRLS (%)
Students who thought smoking tobacco helps people feel more comfortable at celebrations, parties, and social gatherings	31.6	31.0	32.6
Students who definitely thought other people's tobacco smoking is harmful to them	49.0	50.0	47.4
Students who favored prohibiting smoking inside enclosed public places	63.3	62.2	64.8
Students who favored prohibiting smoking at outdoor public places	61.5	62.1	60.6

¹ Smoked cigarettes or other type of tobacco anytime during the past 30 days. ² Smoked cigarettes anytime during the past 30 days. ³ Smoked cigarettes on 20 or more days of the past 30 days. ⁴ Smoked tobacco other than cigarettes anytime during the past 30 days. ⁵ Ever smoked cigarettes or other type of tobacco, even one or two puffs. ⁶ Ever smoked cigarettes, even one or two puffs. ⁷ Ever smoked tobacco other than cigarettes, even one or two puffs. ⁸ Used smokeless tobacco anytime during the past 30 days. ⁹ Ever used smokeless tobacco. ¹⁰ Smoked cigarettes, smoked other type of tobacco, and/or used smokeless tobacco anytime during the past 30 days. ¹¹ Ever smoked tobacco and/or used smokeless tobacco. ¹² Susceptible to future tobacco use includes those who answered "definitely yes", "probably yes", or "probably not" to using tobacco if one of their best friends offered it to them, or "definitely yes", "probably yes", or "probably not" to using tobacco during the next 12 months. ¹³ During the past 7 days. ¹⁴ During the past 30 days. ¹⁵ Among those who visited a point of sale in the past 30 days. ¹⁶ Among those who watched television, videos, or movies in the past 30 days. ¹⁷ Among those who attended sporting or community events in the past 30 days. ¹⁸ Among those who noticed warning labels on cigarette packages in the past 30 days.

§ NOTE: Data are representative of students aged 13-15 years who are enrolled in school. Due to a response rate of <60%, the data are unweighted and the estimates may not be nationally representative of the population of interest. Percentages reflect the prevalence of each indicator in each group, not the distribution across groups.

--Estimates based on unweighted cases less than 35 are not presented.

*Gender comparisons are significant at p < 0.05.