SAFER FOOD FOR ALL BUSINESSES The burden of foodborne diseases

FOODBORNE DISEASES IN AFRICA ACCOUNT FOR:

142 000 deaths, 1/3 of the global death toll.

32 000 deaths from non-typhoidal Salmonella (over 1/2 of the global death toll for the disease) **most affected are children under 5 years.**

70% Diarrheal diseases caused by (non-typhoidal Salmonella in children <5, E. coli and foodborne cholera)

AFRICA More than 91 million people fall ill each year from foodborne diseases

> Chemical hazards Cyanide and Aflatoxin

caused a 1/4 of the deaths from foodborne disease in the Region

1 in 5 of the people die Paralysis (Konzo) caused by cyanide in cassava(unique to the African Region)

CONTAMINATION CAN OCCUR AT ANY POINT ALONG THE FOOD PRODUCTION CHAIN

APPROPRIATE USE OF AGRICULTURAL CHEMICALS, ADEQUATE FOOD STORAGE, GOOD HYGIENE AND CONDITIONS IN FOOD PRODUCTIONS.

The Processor

Handlers (Transport, Storage)

Food Retail

The Customer

FOOD SAFETY STARTS WITH YOU

Source: WHO Estimates of the Global Burden of Foodborne Diseases. 2015.

