

ADOLESCENT HEALTH IN GUINEA 2018




Country profile: An adolescent is a person between 10-19 years of age

Total surface area (million sq. km)	0.2459
Total population (000's)	12,395.9240
Population density (persons/sq km)	49.2086
Urbanized population (%)	37.6510
Adolescent population (000's)	2,785.7760
Adolescent as % of total population	22.4733
Young people (10-24 years) (000's)	4,053.0420
Young people as % of total population	32.1368
Annual average growth rate of population (%)	2.5165
Crude birth rate (births per 1,000 population)	35.9110
Life expectancy at birth (years)	60.0150
Median age of the total population (years)	18.4410
Birth rate per 1000 girls 15-19 years olds	146.0000









Trend in % of adolescent population, 1990-2015




Existence of a specific target group in national policies/strategies/plans for injury prevention in adolescents

Adolescent as % of total population

Young people as % of total population

Early marriage



Percentage of women 20-24 years married by age 18


Women 15-19 years married

Median age at 1st sexual intercourse (years)

Percentage of 15-19 year olds M currently married or in union (%) 13


Pregnancy

Percentage of 15-19 year olds who have given birth/who are pregnant with their first child



Girls of 15-19 year olds who are pregnant with their first child Women girls of 15-19 years who have given birth

Contraception



Demand for contraception satisfied Unmet need for contraception

HIV/STIs

Comprehensive knowledge of HIV					
	15-19 years 20-24 years			years	
	Female	Male	Female Male		
2005	16.8	20.2	17.1	26.4	
2012	17.7	27.2	23.6	38.8	
	Condom use among sexually active				

Male

33.6

38.8

15-19 years

during premarital sex (%)

20-24 years

Male

36.4

57.9

Female

28.0

45.6

	Prevalence (%)
	of HIV in 15-19
_	year olds



Prevalence (%) of STIs among 15-19 year



2005

2012

Female

24.9

21.0



ADOLESCENT HEALTH IN GUINEA 2018



Malnutrition

		15-19 years		20-24 years	
		Female	Male	Female	Male
Prevalence (%) of chronically malnourished (thin, BMI<18.5)	2005	18.7		14.8	
	2012	18.8		12.8	
Prevalence (%) of overweight (BMI between 25.0-29.9)	2005	6.1		6.0	
	2012	7.5		13.0	
Prevalence (%) of iron deficiency anemia (Hgb<12.0 g/dl for non-pregnant women and Hgb<11.0 g/dl for pregnant women)	2005	50.9		56.5	
	2012	47.1	36.5	49.1	22.3

Substance use

			Female	Male
Total alcohol consumption among 15-19 year olds (litres of pure alcohol)	15-19 years	2010	0.0	0.4
Prevalence cigarette or any other tobacco product use (%)	15-19 years	2005	0.2	
	20-24 years	2005	1.0	



Violence



Percentage of married adolescents who agree that husband is justified in beating his wife





usehold members injured and unable	
rmal daily activities of >6 months (%)	

Injuries and trafic accidents

Adolescent household members injured and unable to carry out normal daily activities of >6 months (%)	
Adolescent household members injured or killed in accidental fall (%)	
Adolescent household members injured or killed in road traffic accident (%)	

ally activities of 70 months (70)	
d members injured or killed in	
d members injured or killed in %)	

			Female
% of married women who have ever experienced physical or sexual	15-19 years		
or emotional violence committed by their husband or partner	20-24 years		
Prevalence of victims women of	15-19 years	2012	94.0
femal genital mutilation (%)	20-24 years	2012	94.9

Mental health

	Female	Male	
Prevalence of childhood mental illness among 15-19 year olds (%)			
Felt seriously worthless/hopeless or wishes to be dead among15-19 year olds (%)			



Immunization

Proportion of adolescent girls vaccinated for HPV to prevent cervical cancer (%)



Adolescent Mortality

Trend in Mortality	/ rates per 100,000 i	n 15-19 year olds
1999	2005	2012
2.4	4.3	3.9

Socioeconomic determinants of health

Female Male			
			Male
Literacy rate among 15-19 year olds (%)	2012	43.0	68.5
Percent 15-19 year currently employed (%)	2012	49.0	41.0
Information media use at least once/week among adolescents (%)	2016	52.9	54.7
Social security health insurance among 15-19 year olds (%)			

Leading causes of girls' death

Name, cause name, number of deaths and death rate, age 10-19				
Rank	Cause name	Number of deaths	Death rate/100, 000 pop	
1	Meningitis	359	26.0	
2	Lower respiratory infections	316	22.9	
3	Maternal conditions	307	22.3	
4	Diarrhoeal diseases	300	21.8	
5	Sickle cell disorders and trait	292	21.1	

Leading causes of boys' death

Rank, cause name, number of deaths and death rate, age 10-19					
Rank	Cause name	Number of deaths	Death rate/100, 000 pop		
1	Road injury	332	23.6		
2	Meningitis	302	21.5		
3	Lower respiratory infections	272	19.4		
4	Diarrhoeal diseases	205	14.6		
5	Drowning	178	12.7		

