


FAMILY PLANNING HEALTH PROFILE ETHIOPIA 2019



General st		Summary FP statistics				
Total population (000's)	2019	112,079	Demand satisfied (%)	2019	61	
Total fertility rate (births per women)	2012	4	mCPR (%)	2019	26	
Adolescent Birth Rate (births per 1000 adolescent females)	2014	80	Unintended pregnancies (000's)	2019	2,755	
IMR (deaths per 1000 live births)	2018	39	Unmet need (%)	2019	24	
MMR (deaths per 1000 live births)	2017	401	Unsafe abortions averted (000's)	2019	607	



mCPR by place of residence (2018)		•			Facilities stocked out by method (2018)				
Urban	Rura		(2018)			(2016)			
45%	36%		Long-acting	Implant			Long-acting	Sterilization	†
Availability of service delivery points (SDP) (2018)		and permanent	IUD	No Data	Data	and permanent methods	Sterilization.	ौ No Data	
		Short-term	Emergency		Jala				
Primary SDPs with at lea	st 3		methods	Linergency			Short-term methods	Condoms	i.is Bata
modern methods		No Data		Injectable					Ť
Secondary/tertiary SDPs least 5 modern methods	with at	No Data		Pill				Condoms.	Ħ

Definition of Indicators

- 1. mCPR: % of women of reproductive age who are using (or whose partner is using) a modern contraceptive method at a particular point in time.
- unmet need: % of fecund women of reproductive age who want no more children or to postpone having the next child, but are not using a contraceptive method, plus women who are currently using a traditional method of family planning.
 demand satisfied: percentage of women (or their partners) who desire either to have no additional children or to postpone the next child and
- 3. demand satisfied: percentage of women (or their partners) who desire either to have no additional children or to postpone the next child and who are currently using a modern contraceptive method.
 4. Unintended pregnancies: Nb of pregnancies that occurred at a time when women (and their partners) either did not want additional children
- 4. Office the project of the project on the project of the project of the project of the project on the project of the project
- 5. unsafe abortion: Nb of unsafe abortions that did not occur during a specified reference period as a result of the protection provided by modern contraceptive use during the reference period.
- 6.Facilities stocked out: % of facilities stocked out of each type of contraceptive offered, on the day of assessment.

 7. Method availability: % of primary (resp. seconday/tertiary) service delivery points with at least 3 (resp. 5) modern methods of contraception available on day of assessment.
- 8. Total fertility rate: Average nb of children a hypothetical cohort of women would have at the end of their reproductive period if they were subject during their whole lives to the fertility rates of a given period and if they were not subject to mortality.
- 9. Ádolescent birth rate (ABR): Nb of births to adolescent females, aged 15-19 occurring during a given reference period per 1,000 adolescent females.
- 10. Maternal mortality ratio (MMR): Annual nb of female deaths from any cause related to or aggravated by pregnancy or its management per 100 000 live births.
- 110. Infant mortality rate (IMR): probability of dying between birth and age 1 per 1000 live births.

References

Indicators 1 to 7

From FP2020 2019 Progress Report, most recent national surveys (DHS,PMA2020, MICS,RHS and other national surveys).

At: http://progress.familyplanning2020.org/re-

Sources Indicator

MNCAH Data Portal (UN population division: 2019 estimate)

ndicator 9

WHO Global Observatory (DHS,PMA2020, MICS,RHS and other national surveys). Indicator 10

From UN Inter-agency Group for Mortality Estimation (MMEIG), 2016

Indicator 11
From UN Inter-agency Group for Child Mortality (IGME), 2016



