

FAMILY PLANNING HEALTH PROFILE MAURITIUS 2019



General statistics			Summary FP statistics			
Total population (000's)	2019	1,270	Demand satisfied (%)	2014	41	
Total fertility rate (births per women)	2018	5	mCPR (%)	2014	32	
Adolescent Birth Rate (births per 1000 adolescent females)	2015-2020	24	Unintended pregnancies (000's)	2019		
IMR (deaths per 1000 live births)	2018	14	Unmet need (%)	2005-2019	13	
MMR (deaths per 1000 live births)	2017	61	Unsafe abortions averted (000's)	2019		

Key Family Planning Indicators by	mCPR by economic status (Null)		Trend of key FP indicators					
5-year Age group (None)		(2002-2014)						
15-19	Lowest	50						
20-24	Second	40						
25-29		tage 30						
30-34	Middle	Percentage						
35-39	Fourth							
40-44	T Guitar	10						
45-49	Highest	0	2002	2014	2002	2014	2002	2014
Unmet need (%)	Demand satisfi				2017			

Availability of service delivery points (SDP) (2018) Primary SDPs with at least 3 modern methods Secondary/tertiary SDPs with at

least 5 modern methods

mCPR by place of residence (Null)

Facilities stocked out by method (2018) Long-acting and permanent.. IUD Short-term methods Emergency .. Injectable Pill

	Facilities stocked out by method (2018)						
	Long-acting and permanent methods	Sterilization	†				
-		Sterilization.	∳ No Data				
	Short-term methods	Condoms	†				
		Condoms.	ń				

Definition of Indicators

- 1. mCPR: % of women of reproductive age who are using (or whose partner is using) a modern contraceptive method at a particular point in time.

 2. unmet need: % of fecund women of reproductive age who want no more children or to postpone having the next child, but are not using a
- contraceptive method, plus women who are currently using a traditional method of family planning.

 3. demand satisfied: percentage of women (or their partners) who desire either to have no additional children or to postpone the next child and
- who are currently using a modern contraceptive method.

 4. Unintended pregnancies: Nb of pregnancies that occurred at a time when women (and their partners) either did not want additional children
- or wanted to delay the next birth.

 5. unsafe abortion: Nb of unsafe abortions that did not occur during a specified reference period as a result of the protection provided by
- 5. Unsafe abortion: No of unsafe abortions that did not occur during a specified reference period as a result of the protection provided by modern contraceptive use during the reference period.
- 6. Facilities stocked out: % of facilities stocked out of each type of contraceptive offered, on the day of assessment.

 7. Method availability: % of primary (resp. seconday/tertiary) service delivery points with at least 3 (resp. 5) modern methods of contraception available on day of assessment.
- Total fertility rate: Average nb of children a hypothetical cohort of women would have at the end of their reproductive period if they were subject during their whole lives to the fertility rates of a given period and if they were not subject to mortality.
 Adolescent birth rate (ABR): Nb of births to adolescent females, aged 15-19 occurring during a given reference period per 1,000 adolescent
- females.

 10. Maternal mortality ratio (MMR): Annual nb of female deaths from any cause related to or aggravated by pregnancy or its management per 100 000 live births.
- 11. Infant mortality rate (IMR): probability of dying between birth and age 1 per 1000 live births.

References

Indicators 1 and 2

From FP2020 2019 Progress Report, most recent national surveys (DHS,PMA2020, MICS,RHS and other national surveys).

Indicator 8

MNCAH Data Portal (UN population division: 2019 estimate)

Indicator 9

WHO Global Observatory (DHS,PMA2020, MICS,RHS and other national surveys).

From UN Inter-agency Group for Mortality Estimation (MMEIG), 2016

Indicator 11

From UN Inter-agency Group for Child Mortality (IGME), 2016



