# South Sudan

**Integrated Disease surveillance and response (IDSR)** 

Epidemiological Bulletin Week 32 of 2020 (August 03-August 09)



## Major epidemiological highlights in week 32 highlights of 2020



- In week 32, 2020 IDSR reporting completeness was 92% and timeliness was 68% at health facility level. EWARN reporting completeness and timeliness were 69%
- Of the 85 alerts in week 32, 2020; 73% were verified 1% were risk assessed and 1% required a response. Malaria (39), AWD (25), ARI (4), measles (1) and bloody diarrhea (10) were the most frequent alerts in week 32, 2020
- Malaria remains the top cause of morbidity and accounted for 83,386 cases (62.5% of OPD cases)
- A total of 947 COVID-19 alerts have been investigated with 776 (81.9%) being verified. Total of 2478 COVID-19 confirmed cases and 47 deaths, CFR of 1.9%

# SURVEILLANCE PERFORMANCE



For the Integrated Disease Surveillance (IDSR) network and Early warning alert and response network (EWARN)



#### IDSR timeliness & completeness performance at county level for week 32 of 20202



Completeness States Ranking	States	Supporting Partners	Total No. of Functional Health Facilities in the State	No. of HFs Reported on Time	Timeliness Percentage	No. of HFs Reported regardless of Time	Completeness Percentage
<b>1</b> st	WES	AMREF, World Vision, CUAMM, CDTY, OPEN	213	152	71%	213	100%
2nd	Lakes	Doctors with Africa (CUAMM), LIVEWELL	113	69	61%	113	100%
3rd	CES	HLSS, SSUHA, Healthnet TPO, IHO,GOAL,TRI-SS,THESO	118	114	97%	115	97%
4th	Warrap	GOAL, CCM, WVI, Malaria Consortium, UNKEA, Save the Children, MSF	119	89	75%	116	97%
5th	WBGZ	Cordaid, Healthnet TPO, CARE International,IOM	75	34	45%	71	95%
6th	NBGZ	Malaria Consortium, Healthnet TPO, IRC, CEDS, IHO	130	92	71%	124	95%
7th	EES	Cordaid, HLSS, CCM	142	91	64%	132	93%
8th	Upper Nile	Cordaid, WVI, RI, IMC, NIDO, UNKEA, MC, SSAID	119	71	60%	110	92%
9th	Unity	Cordaid, UNIDOR, IRC, CHADO, CARE International, CRADA, CASS	88	47	53%	67	76%
10th	Jonglei	Nile Hope, MDM, JDF, Livewell, CMD, HFO, EDA, CRADA, Malaria Consortium, CMA	102	69	68%	76	75%
	South Sudan		1219	828	68%	1137	93%

KEY		
	<60%	Poor
	61%-79%	Fair
	80%-99%	Good
	100%	Excellent

The timeliness of IDSR reporting (supported by EWARS mobile) at health facility level was 68% and completeness was 92%. All states except Jonglei were above the target of 80% with highest reporting rate in Lakes and WES with completeness of 100%.

## IDSR timeliness & completeness performance at county level for week 32 of 2020 (1)



STATE	COUNTY	SUPPORTING Partner	Total No. of Functional Health Facilities in the County	No. of HFs Reported on Time	Timeliness Percentage	No. of HFs Reported regardless of time	Completeness Percentage
Lakes	Yirol West	Doctors with Africa (CUAMM)	12	12	100%	12	100%
CES	Juba	HLSS	46	46	100%	46	100%
Lakes	Cueibet	Doctors with Africa (CUAMM)	15	15	100%	15	100%
Lakes	Rumbek North	Doctors with Africa (CUAMM)	7	7	100%	7	100%
Lakes	Wulu	Doctors with Africa (CUAMM)	14	14	100%	14	100%
Lakes	Awerial	Doctors with Africa (CUAMM)	7	7	100%	7	100%
NBGZ	Aweil South	Malaria Consortium(MC),IH O	9	9	100%	9	100%
NBGZ	Aweil North	HealthNetTPO,IHO	33	33	100%	33	100%
CES	Kajo Keji	SSUHA,GOAL,TRI- SS	16	16	100%	16	100%
CES	Terekeka	HealthNetTPO	20	20	100%	20	100%
Lakes	Rumbek Centre	Doctors with Africa (CUAMM)	23	22	96%	23	100%
Lakes	Rumbek East	Doctors with Africa (CUAMM)	24	22	92%	24	100%
WBGZ	Jur River	Cordaid	35	31	89%	35	100%
Lakes	Yirol East	Doctors with Africa (CUAMM),LIVEWEL L	11	8	73%	11	100%
WBGZ	Raja	HealthNetTPO	12	5	42%	12	100%
CES	Yei	SSUHA	17	16	94%	16	94%
NBGZ	Aweil Centre	Malaria Consortium(MC)	15	14	93%	14	93%
NBGZ	Aweil West	HealthNetTPO	37	26	70%	35	95%
NBGZ	Aweil East	IRC,TADO	36	33	92%	34	94%
CES	Morobo	SSUHA,THESO	6	5	83%	5	83%
WBGZ	Wau	Cordaid	28	23	82%	24	86%
CES	Lainya	SSUHA	14	11	79%	11	79%


STATE	COUNTY	SUPPORTING Partner	Total No. of Functional Health Facilities in the County	No. of HFs Reported on Time	Timeliness Percentage	No. of HFs Reported regardless of time	Completeness Percentage
WES	Maridi	AMREF	26	26	100%	26	100%
Unity	Abiemnhom	Cordaid	4	4	100%	4	100%
Unity	Mayom	CASS	9	9	100%	9	100%
WES	Nagero	World Vision International	10	10	100%	10	100%
WES	Mundri West	CUAMM	21	21	100%	21	100%
WES	Mundri East	CUAMM	19	19	100%	19	100%
WES	Mvolo	CUAMM	11	11	100%	11	100%
Unity	Panyijiar	IRC	15	14	93%	15	100%
WES	lbba	AMREF	11	9	82%	11	100%
Unity	Rubkona	Cordaid,IRC,IOM,M SF	14	9	64%	14	100%
WES	Nzara	World Vision International	20	12	60%	20	100%
WES	Ezo	World Vision International	27	15	56%	27	100%
WES	Yambio	World Vision International	42	5	12%	42	100%
WES	Tambura	World Vision International	26	23	88%	25	96%
Unity	Pariang	CARE International	11	9	82%	10	91%
Unity	Guit	CHADO	7	0	0%	6	86%
Unity	Koch	CRADA,IRC.	4	2	50%	3	75%
Unity	Leer	UNIDOR	11	0	0%	5	45%
Unity	Mayendit	CASS	12	0	0%	0	0%

# IDSR timeliness & completeness performance at county level for week 32 of 2020 (2)



STATE	COUNTY	SUPPORTING PARTNER	Total No. of Functional Health Facilities in the County	No. of HFs Reported on Time	Timeliness Percentage	No. of HFs Reported regardless of time	Completeness Percentage
Jonglei	Pochalla	LIVEWELL	7	7	100%	7	100%
EES	Kapoeta South	CCM	10	9	90%	10	100%
EES	Kapoeta North	CCM	15	11	73%	15	100%
EES	Ikotos	HLSS	27	16	59%	27	100%
Jonglei	Ayod	CMD,EDA	15	14	93%	14	93%
EES	Budi	Cordaid	21	5	24%	19	90%
EES	Magwi	HLSS	21	18	86%	19	90%
Jonglei	Fangak	CMD,HFO	16	14	88%	14	88%
EES	Lopa Lafon	HLSS	18	15	83%	15	83%
EES	Torit	Cordaid	20	15	75%	16	80%
Jonglei	Bor	MDM + JDF	35	8	23%	29	83%
EES	Kapoeta East	CCM	10	2	20%	7	70%
Jonglei	Duk	MDM + JDF	15	8	53%	10	67%
Jonglei	Akobo	NILE HOPE	8	5	63%	5	63%
Jonglei	Uror	Nile Hope,Malaria Consortium	8	5	63%	5	63%
Jonglei	Nyirol	CMA,Malaria Consortium	10	4	40%	4	40%
Jonglei	Pibor	LIVEWELL,CRADA	3	1	33%	1	33%
Jonglei	Twic East	MDM + JDF	11	3	27%	3	27%
Jonglei	Canal Pigi	IMC	10	0	0%	1	10%

STATE	COUNTY	SUPPORTING Partner	Total No. of Functional Health Facilities in the County	No. of HFs Reported on Time	Timeliness Percentage	No. of HFs Reported regardless of time	Completeness Percentage
Warrap	Abyei	AAA,Save the Children,MSF	10	10	100%	10	100%
Warrap	Tonj North	CCM	14	14	100%	14	100%
Warrap	Tonj South	CCM	12	12	100%	12	100%
Upper Nile	Fashoda	CORDAID	13	12	92%	13	100%
Warrap	Gogrial East	GOAL	15	13	87%	15	100%
Upper Nile	Maban	WVI + RI	17	14	82%	17	100%
Upper Nile	Maiwut	RI	5	4	80%	5	100%
Warrap	Tonj East	CCM	12	9	75%	12	100%
Upper Nile	Melut	WVI + RI	8	3	38%	8	100%
Warrap	Twic	GOAL	25	5	20%	25	100%
Upper Nile	Baliet	IMC	4	0	0%	4	100%
Upper Nile	Panyikang	IMC	4	0	0%	4	100%
Upper Nile	Renk	WVI + RI	13	12	92%	12	92%
Warrap	Gogrial West	GOAL	31	26	84%	28	90%
Upper Nile	Manyo	CORDAID	10	8	80%	9	90%
Upper Nile	Akoka	IMC	5	4	80%	4	80%
Upper Nile	Makal	IMC	7	4	57%	6	86%
Upper Nile	Luakpiny Nasir	UNKEA,RI	16	5	31%	14	88%
Upper Nile	Longechuk	RI	9	0	0%	8	89%
Upper Nile	Ulang	UNKEA,RI	15	5	33%	5	33%



Disclaimer: The boundaries and names shown and the designations used on this map do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries.

#### Surveillance: EWARS performance indicator by partner for week 32 of 20202



Partner	HFs		Reporting	Perfor	mance
PARTER	# OF SITES	# of reports received on Time	No. of HFs Reported regardless of time	Timeliness	Completeness
Medair	2	2	2	100%	100%
World Relief	2	2	2	100%	100%
CMD	1	1	1	100%	100%
IRC	1	1	1	100%	100%
THESO	1	1	1	100%	100%
GOAL	2	2	2	100%	100%
TRI-SS	2	2	2	100%	100%
HFO	1	1	1	100%	100%
IMC	6	6	6	100%	100%
MSF-E	6	6	6	100%	100%
RHS	1	1	1	100%	100%
IMA	9	9	9	100%	100%
юм	12	10	10	83%	83%
MDM	10	4	4	40%	40%
MSF-H	5	1	1	20%	20%
SMC	6	0	0	0%	0%
UNIDOR	2	0	0	0%	0%
UNH	2	0	0	0%	0%
TOTAL	71	49	49	69%	69%

Both Completeness and timeliness were 69% for weekly reporting in week 32, 2020 for partner-supported clinics serving IDP sites.

# **EVENT-BASED SURVEILLANCE**



Alert management including detection; reporting; verification; risk assessment; & risk characterization



#### Alert by disease and hubs in week 32 of 2020 [ a total of 85 events specific alerts generated by state



State	Acute jaundice syndrome	Acute Respiratory Infections (ARI)	Acute Watery Diarrhoea	AFP	Bloody Diarrhoea	Malaria (Confirmed)	Measles	Guinea Worm	EBS	Covid-19	Total alerts
CES			2		1	1	1				5
EES		1	3	1	4	7					16
Lakes									1		1
Upper Nile		3	1		2	2		2			10
Warrap			3		1	2				1	7
WBGZ			5		1	3					9
WES	1		11		1	24					37
Total alerts	1	4	25	1	10	39	1	2	1	1	85

#### **During this week:**

4 ARI alert: under monitoring by the County/State RRT

25 AWD alert: 13 are undergoing verification and 12 under monitoring

10 ABD: 2 are undergoing verification and 8 under Monitoring

39 Malaria alerts:29 are undergoing verification and 10 under monitoring

1 Measles alert: the case was investigated and its under monitoring.

1 COVID-19 alert: County RRT investigated and collected sample

2 AFP alert: A team went to investigate and they are monitoring the case


1 EBS alert: under monitoring

1 AJS alert: Under monitoring

1 Guinea Worm alert: the Guinea worm investigation team are monitoring the case.

#### Alert: Map of key disease alerts by county of week 32 of 2020





# SUSPECTED OUTBREAKS





Major suspected outbreaks in South Sudan in 2020




#### Response | Suspect Epidemics; Curent Malaria trends 32, 2020




Malaria was the leading cause of morbidity and mortality, accounting for 62.5% of all morbidities and 46.5% of all mortalities in week 16, 2020

There were **4 Counties** with malaria trends that exceeded the threshold (third quartile of trends for the period 2013-2017) and these include the following: Juba hub (Juba, Terekeka); Rumbek hub (Rumbek Center); Aweil hub (Aweil Center)

In the PoC sites; malaria is the top cause of morbidity in Bentiu (54%); Juba (49%), and Bor (26%). In Wau and Malakal PoCs, malaria accounts for 24% and 6% of OPD consultations, respectively.



#### Routine Sentinel Surveillance | Human Influenza



- In week 7, 2019, South Sudan started case-based surveillance for Influenza Like Illness (ILI) and Severe Acute Respiratory Infection (SARI) cases through systematic collection of epidemiological and virological information.
- In 2019, a total of 309 ILI/SARI samples were collected and tested in UVRI 228 being negative; 6 positive for Influenza B (Victoria); 13 positive for Influenza A (H3); and 12 positive for Influenza A (H1)pdm09 and (50) samples are pending test results.
- There are currently 20 Covid-19 designated sentinel surveillance sites in Juba that are collecting epidemiological data and samples from ILI/SARI cases There are currently 20 Covid-19 designated sentinel surveillance sites in Juba that are collecting epidemiological data and samples from ILI/SARI cases. A total of 3248 samples have been collected in 2020 with 206 (6.3%) being positive for COVID-19 in Juba. These sentinel samples have not been tested for influenza in 2020


# ACTIVE OUTBREAKS AND PUBLIC HEALTH EVENTS





Brief epidemiological description and public health response for active outbreaks and public health events





Disclaimer: the boundaries and names shown and the designations used on this map do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries.



# Flooding, South Sudan, week 32, 2020

#### **Description**

With the prediction of more than expected rains during the rainy season of 2020, an increasing number of locations continue to be affected by floods since July 2020. Over 600,000 people in 24 counties have been displaced by floods resulting from heavy rains and overflowing rivers after their banks and dykes gave way. Health facilities are flooded or cannot be accessed by populations in some locations and access to safe water is constrained with the risk of waterborne diseases in affected locations.

#### Public health response

- The Government, supported by partners have undertaken initial rapid needs assessments to identify and support with the the emergency humanitarian needs
- Emergency medicines have been deployed to Bor, Pibor, and lakes, where most of the affected populations have been reported.
- A Ministry of health and WHO rapid response teams have been deployed to support emergency health needs assessments and provision of essential health services to the displaced population through mobile health and vaccination clinics.



# Response | Summary of major ongoing outbreaks in 2019 and 2020



			New	Cumulative	Interventions				
Aetiological agent	Location (county)	Date first reported	cases since last bulletin	cases to date (attack rate %)	Case management	Vaccinatio n	Health promotion	WASH	
Ongoing epide	emics								
Hepatitis E	Bentiu PoC	03/01/2018	6	375 (0.016)	Yes	No	Yes	Yes	
Measles	Bentiu PoC	24/04/2019	NR	482 (0.006)	Yes	Yes	Yes	N/A	





- Measles outbreaks confirmed in 2020
  - ☐ 6 counties Tonj East, Magwi, Bor, Kapoeta East, Tonj South and Wau
  - Locations with ongoing measles transmission
    - Bentiu PoC

■No new confirmed measles cases



# Measles Outbreak situation & response by county as of week 32, 2020





			Confirmed	Probable		Cases per	Total		Date first			Implementing		
S/N	County	Population	cases	cases	Total cases	100,000	deaths	CFR %	reported	Emergency Campaign	Admin Coverage	Partner	Status	Comments
	Tonj East	183,233	13	48	61	33.3	0	0	12-Dec-19	Mass Campaign	Pending result	Mass Campaign	control	Mass Campaign
1	TOIIJ Last	163,233	13	40	01	33.3	U	"	12-Det-19	iviass carripaign	rending result	iviass Carripaign	led	Completed
	Mague	272 000	5	5	10	3.7	0		10 Can 10	Mass Commaiss	Donalina vasult	Mass Commoism	control	Mass Campaign
2	Magwi	272,880	3	Э .	10	3.7	U	0	19-Sep-19	Mass Campaign	Pending result	Mass Campaign	led	Completed
	D = 11	220.056	7	-	44	4.26	•		17 1 10	Mana Camunainu	445 600/	Mana Camanaian	control	Mass Campaign
3	Bor	320,956	,	7	14	4.36	0	0	17-Jan-19	Mass Campaign	115.60%	Mass Campaign	led	Completed
										B	Reactive Campaign			Reactive Campaign
	Kapoeta	262,720	6	10	16	6.1	0	0	18-Jan-20	Reactive Campaign	to start on 26 Feb	IRC	active	completed in March
4	East									(Jebel Boma)	2020			2020
														Reactive campaign
	Aweil	519,537	16	469	694	127.8	0	0	02-Jan-20				active	started on 22 June
5	East													2020
	Bentiu	44- 4-0									1000/			Reactive campaign 20
6	Poc	115,479			455	83	2	2	01-Jan-19	Reactive campaign	126%	IOM	Active	Jan 2020
			_						444 00	Enhanced routine	21.62			Enhanced
7	Wau	271,975	3	0	22	8.1	0	0	14-Jan-20	immunization	N/A		Active	surveillance
Total		1,427,243	50	539	1272	266.36	2	0.23						



#### **Response | Confirmed epidemics**

#### Confirmed Measles Outbreak in Bentiu PoC





Age Group	Cases	Percentage	Cum. %
0 - 4 Years	456	95%	95%
5 - 9 Years	14	3%	98%
10 - 14 Years	8	2%	99%
15+ Years	4	1%	100%
Grand Total	482	100%	

#### **Epidemiological description**


- Bentiu PoC has been reporting suspected measles/rubella cases since week 4 of 2019.
- 3 new cases reported in week 26, 2020
- At least 482 measles cases including 1 death (CFR 0.002%) reported since then.
- Cumulatively, 36 tested cases have tested measles IgM positive while 15 tested rubella IgM positive.
- 47% of cases are female and 53% are male
- 95% are under 5 yrs old, 5% are 5 yrs old and above
- Cases have been reported from inside and outside the PoC with most of the cases originating from the PoC (most cases from sector 5 but generally all the sectors are affected).


#### **Response actions**

- Several rounds of reactive campaigns were conducted in Bentiu IOM;
  - IOM completed a reactive campaign in Bentiu POC on 31 May 2019, with 21,285 children 6-59 months and coverage of 126% receiving measles vaccination. PCE was done by MoH & WHO, coverage was 74.6%.
  - Another campaign was conducted by SMOH, IOM and partners which was completed during the week of 20th January 2020 with coverage of 126%.
  - Partners to strengthen routine immunization to continue to collect samples from suspect cases.
  - Measles case management to continue



#### Hepatitis E, Bentiu PoC (1)





#### **Descriptive epidemiology**

- The persistent transmission of HEV in Bentiu PoC continues with 375 cases since beginning of 2019
- There were (6) new cases reported in week 31, 2020
- All the cases were managed as outpatient cases except for seven cases who were admitted
- Two deaths one on 12th, April 2019 and the second on 11th July 2019
- 50% are female and 50% are male.
- Age group less than 15 years had the most cases with (75%) cases.
- At risk of adverse outcomes when infected in the 3rd trimester of pregnancy
- Use of unsafe drinking water likely to be source of infection
- Up to week 29, 2020; there were 375 cases of HEV in Bentiu PoC including 4 deaths (CFR 1.1%)

Age-Group	Alive	Dead	Grand Total	Percentage	CFR	Cum. %2
1 - 4 Years	116		116	31%	0%	31%
10 - 14 Years	59		59	16%	0%	47%
15+ Years	89	3	92	25%	3%	71%
5 - 9 Years	106	2	108	29%	2%	100%
Grand Total	370	5	375	100%	0.01	

#### Hepatitis E, Bentiu PoC (2)

#### Recommendations

- Supportive case management guided by the HEV protocol is ongoing
- KEV messages on HEV prevention should continue within the community through HPs, CHWs and Kondial Radio
- With current COVID -19 Pandemic Outbreak, WASH partners to increase the coverage of hand washing facilities within the PoCs community.
- Other Wash intervention like increasing the access for clean water and improving the water storage in the affected individuals should be made urgently by distributing the water storage containers that will be the only way to mitigate this problem and stope the HEV outbreak.
- The WASH Cluster/HEV task force should engage in group discussion with Community leaders and woman group at water distribution points to understand their opinions on issue of Collapsing Jerrycans distribution.
- Monitoring the FRC levels at the taps stands in the different sectors, and the concentration of chlorination should maintain at 0.5-1mg/L as the point of collection



# Response | Summary of major controlled outbreaks in 2019 and 2020



Aetiological agent	Location (county)	Date first reported	New cases since last bulletin	Cumulative cases to date (attack rate %)	Interventions			
					Case management	Vaccination	Health promotion	WASH
Controlled epidemics								
Measles	Juba	21/11/2019	NR	6( 0.1667)	Yes	No	Yes	N/A
Measles	Tonj East	12/12/2019	NR	61(0.98)	yes	Yes	Yes	N/A
Measles	Bor	17/01/2020	NR	14(0.214)	yes	No	yes	N/A
Measles	Jebel Boma	10/12/2019	NR	96(0.063)	yes	No	Yes	N/A
Measles	Kapoeta East	18/01/2020	NR	16(0.625)	yes	No	Yes	N/A
Measles	Aweil East	29/12/2019	NR	664 (0.127)	Yes	N	0	Yes



# EBOLA VIRUS DISEASE[EVD] PREPAREDNESS IN SOUTH SUDAN



Brief on the Ebola situation in DR Congo and updates on EVD preparedness in South Sudan



# EVD DRC Update 10<sup>th</sup> August in Equateur Province

#### u har ul St. v Ef. au r Es

- V4 cases reported (V0 confirmed. 4 probable)
- 36 d**E** ths ( 42.9%)
- 36 rEcovEriEs
- 29 health areas affected across 9


  Z
- 21.069 vaccinated
- 'n past 21 days (21' uly 10<sup>th</sup> ua). 22 confirmed cases notified across 15/29 health areas in 7/9

#### ahlahts for 10th ugust 2020

- Onew costs reported
- onew deaths among confirmed cases under treatment in
- 2 n w r coveries discharged
  in bandaka:
- ▼5. ▼% contacts follow ■d in th■

  past 24 hours:
- 96. 7% ALE Its investigated in the past 24 hours.

# Distribution of confirmed and probable cases of Ebola virus disease in Equateur province, as of 10 Aug, 2020 (n = 84)



# **COVID-19 Updates**





# **COVID-19 Virus Situation Summary**



## Situation update as of 12th August 2020

# Situation in numbers (by WHO Region)

Total (new cases in last 24 hours)

Globally	20 162 474 cases (214 985)	737 417 deaths (4 835)
Africa	909 574 cases (6 325)	17 198 deaths (213)
Americas	10 799 062 cases (101 230)	393 727 deaths (2 877)
Eastern Mediterranean	1 669 933 cases (12 342)	44 288 deaths (410)
Europe	3 641 603 cases (23 951)	217 716 deaths (355)
South-East Asia	2 757 822 cases (66 370)	55 564 deaths (931)
Western Pacific	383 739 cases (4 767)	8 911 deaths (49)

WHO: https://www.who.int/health-topics/coronavirus



# **COVID-19 Response in South Sudan**





- 2,478 confirmed COVID-19 cases in South Sudan; 85% in Juba with 47 deaths and a case fatality rate (CFR) of 1.9%. Total 7,423 contacts identified, quarantined, & undergoing follow up
- Implementation of priorities; risk communication and community engagement; active case search and testing; quarantine for contacts; isolation of confirmed cases, infection prevention and control; and management of cases are currently underway
- The overall response currently led by the COVID-19 National level taskforce and the COVID-19 National Steering Committee



# **Trends of COVID-19 cases in South Sudan**








## Distribution of COVID-19 cases in South Sudan





\*Geographical information is available for 2 443 cases.

The majority of the cases have been reported in Juba; while the rest have been imported (involving truckdrivers from the neighboring countries

# Overall Conclusions and Recommendations



#### **Conclusion**

- The overall IDSR and EWARN reporting performance in week 31, is above the target of 80%. (9) states were above 80%
- 2478 confirmed COVID-19 cases in South Sudan; 85% in Juba with 47 deaths (CFR of 1.9%). Total 7,423 contacts identified, quarantined, & undergoing follow up
- Cumulative total of COVID-19 alerts is 947, of these, 776 (81,9%)
  have been verified and samples were collected
- With six outbreaks confirmed in 2020; measles remains the most frequent vaccine preventable disease
- There is ongoing measles outbreak in Bentiu PoC
- Given the COVID-19 pandemic, it is critical that measures are stepped up to contain its spread.



## Recommendations

- All partners should support CHDs & State Ministries of Health to undertake IDSR/EWARN reporting
- All health facilities should report, and conduct casebased investigation of suspect measles cases and routine measles immunization should be strengthened in all counties
- Strengthen capacities for COVID-19 containment through identifying and testing suspect cases, isolating confirmed cases, and quarantining contacts



Thanks to the State Surveillance Officers, County Surveillance Officers and Health Facility in-charges for sharing the weekly IDSR data

Thanks to all partners for supporting IDSR weekly reporting and sharing the line lists

To access the IDSR bulletins for 2020 use the link below:

https://www.afro.who.int/publications/south-sudan-weekly-disease-surveillance-bulletin-2020



# This bulletin is produced by the Ministry of Health with Technical support from WHO

For more help and support, please contact:

#### **Dr. Pinyi Nyimol Mawien**

Director General Preventive Health Services Ministry of Health Republic of South Sudan Telephone: +211916285676

#### Mr. Mathew Tut M. Kol

Director, Emergency Preparedness and Response

Ministry of Health, RSS

Tell: +211916010382, +211922202028

Emails: tut1988@yahoo.com, greensouth2020@gmail.com

Skype: mathew19885

#### **IDSR Bulletin Editorial Team**

- 1.Mr. Ajak Ater, MoH Email: ajakater014@gmail.com
- 2.Ms. Sheila Baya, WHO- Email: bayas@who.int
- 3.Mr. Robert Lasu Martin, WHO -Email: lasur@who.int
- 4.Mrs. Rose Dagama, WHO Email: dagamaa@who.int
- 5.Dr. Abraham Adut, WHO- Email: abenegoa@who.int
- 6. Dr. Alice Igale Lado, WHO Email: ladua@who.int
- 7. Dr. Joseph Wamala, WHO Email: wamalaj@who.int
- 8. Dr. Argata Guracha Guyo, WHO Email: guyo@who.int

#### **Notes**

WHO and the Ministry of Health gratefully acknowledge the surveillance officers [at state, county, and health facility levels], health cluster and health pooled fund (HPF) partners who have reported the data used in this bull etin. We would also like to thank ECHO and USAID for providing financial support.

The data has been collected with support from the EWARS project. This is an initiative to strengthen early warning, alert and response in emergencies. It includes an online, desktop and mobile application that can be rapidly configured and deployed in the field. It is designed with frontline users in mind, and built to work in difficult and remote operating environments. This bulletin has been automatically published from the EWARS application.

More information can be found at http://ewars-project.org







