



NAMIBIA COVID-19 SITUATION REPORT NO. 810

| | | | |
|---------------|----------------------|--------------------------|---------------|
| Outbreak Name | COVID-19 outbreak | Country affected | Namibia |
| Date & Time | 07.06 .2022 17h00 | Investigation start Date | 13 March 2020 |
| Prepared by | Surveillance Team | | |

HIGHLIGHTS/SITUATION UPDATE (07/06/2022)

CUMULATIVE

Tested 1 046 199

Confirmed 164 926

Active 1 969

Recovered 161 584

Vaccinated

1st doses 490 972 2nd doses 275 149 Booster doses 68 038

Deaths 4 040

TOTAL TODAY

Tested 746

Confirmed 138

Active 1 969

Recovered 201

Vaccinated

1st doses 321 2nd doses 124 Booster doses 301

Deaths 0

- A total of **164 926** cases have been recorded to-date, representing **6%** of the total population (**2 550 226**).
- More female cases **87 734 (53%)** have been recorded.
- Of the total confirmed cases, **5 628 (3%)** are Health Workers, with **3** new confirmed today.
 - 4 734 (84.4%) State; 885 (15.4%) Private, 9 (0.1%) Non-Governmental Organizations.
 - 5 622 (100%) recoveries and 25 (0.5%) deaths.
- The recovery rate now stands at **96%**.
- Khomas and Erongo regions reported the highest number of cases with **54 308 (33%)** and **23 520 (14%)** respectively.
- Of the total fatalities **3 698 (92%)** are COVID-19 deaths while **342 (8%)** are COVID-19 related deaths.
- The case fatality rate now stands at **2.5%**.

Table 1: Distribution of confirmed COVID-19 cases by region, 07 June 2022

| | New cases | New re-infections | Cum re-infections | Cum confirmed excluding re-infection | Active cases | Recoveries | Cum Deaths | Cum deaths with co-morbidities | Non-COVID deaths | Health Workers |
|--------------|------------|-------------------|-------------------|--------------------------------------|--------------|----------------|--------------|--------------------------------|------------------|----------------|
| Erongo | 3 | 1 | 425 | 23 520 | 197 | 23 315 | 428 | 354 | 5 | 515 |
| Hardap | 11 | 1 | 118 | 8 772 | 64 | 8 561 | 265 | 168 | 0 | 193 |
| Karas | 16 | 5 | 286 | 10 569 | 162 | 10 532 | 161 | 138 | 0 | 318 |
| Kavango East | 68 | 0 | 69 | 6 599 | 177 | 6 261 | 228 | 132 | 2 | 299 |
| Kavango West | 0 | 6 | 4 | 862 | 20 | 823 | 23 | 21 | 0 | 50 |
| Khomas | 21 | 2 | 1 321 | 54 308 | 750 | 53 972 | 906 | 705 | 1 | 1 926 |
| Kunene | 1 | 1 | 71 | 5 250 | 34 | 5 130 | 157 | 110 | 0 | 164 |
| Ohangwena | 7 | 0 | 51 | 6 176 | 114 | 5 903 | 208 | 126 | 2 | 224 |
| Omaheke | 0 | 0 | 70 | 5 351 | 45 | 5 084 | 291 | 205 | 1 | 148 |
| Omusati | 1 | 0 | 55 | 7 848 | 82 | 7 477 | 344 | 211 | 0 | 284 |
| Oshana | 5 | 0 | 103 | 10 795 | 119 | 10 381 | 397 | 244 | 1 | 612 |
| Oshikoto | 2 | 0 | 70 | 8 144 | 23 | 7 979 | 210 | 160 | 2 | 382 |
| Otjozondjupa | 3 | 0 | 213 | 13 110 | 154 | 12 881 | 287 | 196 | 1 | 384 |
| Zambezi | 0 | 0 | 27 | 3 622 | 28 | 3 486 | 135 | 77 | 0 | 129 |
| Total | 138 | 16 | 2 883 | 164 926 | 1 969 | 161 785 | 4 040 | 2 847 | 15 | 5 628 |

EPIDEMIOLOGICAL SITUATION IN NAMIBIA





Figure 2: The 7 days moving average line chart for confirmed COVID-19 cases, 07 June 2022



- The highest peak of **12 787 (8%)** cases was recorded during week 25 of 2021 (Figure 3).
- The country has started seeing a gradual reduction in the average number of confirmed cases from 1424 to 29 from epi-week 26 to 40 of 2021.
- Another peak of **7005** cases was recorded in week 50 of 2021
- The number of cases have started increasing again in the last three weeks as seen on the graph.

- The National Call Center continues operations for 24 hours daily.
- Today (07/06/2022), **344** calls were answered.

Figure 3: Epi-curve for confirmed COVID-19 case, 07 June 2022

Table 4: Number of people in quarantine 07 June 2022

| Region | Newly quarantined 24 hours | Cumulative number | Number discharged | Number in quarantine now |
|-------------------------|----------------------------|-------------------|-------------------|--------------------------|
| Erongo | 74 | 8 288 | 7 898 | 390 |
| Hardap | 0 | 3 269 | 3 263 | 6 |
| Kavango (East and West) | 0 | 1 816 | 1 799 | 17 |
| Khomas | 0 | 3 781 | 3 767 | 14 |
| Kharas | 0 | 10 000 | 10 000 | 0 |
| Kunene | 8 | 6 923 | 6 881 | 42 |
| Ohangwena | 0 | 924 | 924 | 0 |
| Omaheke | 82 | 22 241 | 21 940 | 301 |
| Omusati | 0 | 4 010 | 4 007 | 3 |
| Oshana | 0 | 402 | 400 | 2 |
| Oshikoto | 36 | 29 053 | 28 951 | 102 |
| Otjozondjupa | 0 | 1 932 | 1 932 | 0 |
| Zambezi | 35 | 2 246 | 2 202 | 44 |
| Total | 235 | 94 885 | 93 964 | 921 |

- Since March 2020, **94 885** people have been placed into quarantine around the country.
- A total of **921** people are currently in quarantine, with **235** new admissions.

Table 3: COVID-19 specimen recorded at the Laboratories 07 June 2022

| VARIABLES | TOTAL |
|--|-----------|
| Total samples received by the Laboratory | 1 046 147 |
| Total samples tested | 1 026 724 |
| Total samples re-tested | 19 306 |
| Total positive results | 164 926 |
| Total negative results | 861 668 |
| Total samples discarded | 117 |
| Invalid results | 0 |
| Total pending results | 0 |
| Indeterminant/Inconclusive | 130 |
| Suspected cases in 24 hours (excluding re-tests) | 728 |

- The laboratory testing capacity has been enhanced; with a total of twenty-three (23) laboratories carrying out the testing of samples: NIP, Path-Care, UNAM Molecular, Central Veterinary Laboratory, Namib Poultry, NAMDEB, NamPath, Namibia Central Pathology, DiagnoLab, High Care, Alpha Medical Laboratory, NCP, Maerua MC, Des-Jo Medical Test Centre, ProQuest Diagnostic Laboratory, MAXI, Medlink Laboratory Services, Biotech Medical, Covisure, Star Care, Soweto Medical Center, Hosea Kutako International Airport & Oshana Med Laboratory .
- To date, **1 046 199** tests (including **19 306** re-tests) have been conducted by authorized laboratories.
- Since the beginning of the outbreak, **175 517** contacts of confirmed cases have been identified, **96** contacts were identified within the last 24 hours from **9** regions.
- Cumulatively, **172 579** contacts have completed their monitoring period, while **299** contacts are lost to follow-up and a total of **29 124 (18%)** contacts of confirmed cases have tested positive.
- Today, **760 (66%)** out of **1 160** contacts were monitored.

- Of the total confirmed cases, **98 975 (60%)** are in the 20-49 years age-brackets which constitutes the majority of the recorded cases.
- A total of **26 519 (16%)** of the confirmed cases are among the 5-19 years category.
- A total of **18 918 (11%)** of the confirmed cases are among the 50 - 59 years group.
- The under 5 years age group make up **3 641 (2%)** of the total cases whereas, **16 873 (10%)** are above 60 years of age.




Figure 1: Age and Sex distribution of COVID-19 confirmed cases, 07 May 2022

Table 2: The current distribution for hospitalization of confirmed cases by region, 07 June 2022

| Region | Hospitalized confirmed cases | | Vaccinated | | Intensive Care Unit | | Vaccinated | |
|--------------|------------------------------|-----------|----------------------|----------------------|---------------------|----------|----------------------|----------------------|
| | Current | Previous | 1 st dose | 2 nd dose | Current | Previous | 1 st dose | 2 nd dose |
| Erongo | 14 | 10 | 0 | 0 | 1 | 1 | 0 | 0 |
| Hardap | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Kharas | 2 | 4 | 0 | 0 | 0 | 0 | 0 | 0 |
| Kavango East | 7 | 10 | 0 | 0 | 0 | 0 | 0 | 0 |
| Kavango West | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Khomas | 24 | 24 | 0 | 4 | 8 | 5 | 0 | 0 |
| Kunene | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Ohangwena | 4 | 5 | 0 | 0 | 0 | 0 | 0 | 0 |
| Omaheke | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Omusati | 2 | 6 | 0 | 0 | 0 | 0 | 0 | 0 |
| Oshana | 7 | 7 | 0 | 1 | 0 | 0 | 0 | 0 |
| Oshikoto | 6 | 6 | 0 | 0 | 0 | 0 | 0 | 0 |
| Otjozondjupa | 1 | 1 | 1 | 1 | 0 | 0 | 0 | 0 |
| Zambezi | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 69 | 73 | 1 | 6 | 9 | 6 | 0 | 0 |

Table 6: Summary of COVID-19 vaccine 3rd doses administered, 07 June 2022

| Region | Cumulative no. of persons vaccinated | | | |
|--------------|--------------------------------------|---------------|---------------|-------------------|
| | Sinopharm | AstraZeneca | Pfizer | Booster Doses J&J |
| Erongo | 2 160 | 1 043 | 3 522 | 842 |
| Hardap | 3 244 | 888 | 1 248 | 1 346 |
| Kharas | 1 521 | 430 | 497 | 260 |
| Kavango East | 1 180 | 508 | 658 | 1 033 |
| Kavango West | 1 228 | 573 | 717 | 944 |
| Khomas | 3 814 | 1 826 | 6 818 | 1 518 |
| Kunene | 2 283 | 794 | 749 | 1 157 |
| Ohangwena | 937 | 317 | 65 | 206 |
| Omaheke | 3 136 | 1 535 | 1 022 | 107 |
| Omusati | 2 115 | 860 | 696 | 344 |
| Oshana | 2 209 | 615 | 745 | 633 |
| Oshikoto | 1 558 | 453 | 320 | 240 |
| Otjozondjupa | 2 447 | 1 178 | 1 267 | 682 |
| Zambezi | 802 | 148 | 148 | 452 |
| Total | 28 634 | 11 168 | 18 472 | 9 764 |

Table 5: Summary of COVID-19 vaccine doses administered, 07 June 2022

| Region | Cumulative no. of persons vaccinated with doses of Sinopharm, AstraZeneca, Sputnik V, Pfizer and Jassen & Johnson | | Targeted Population | Vaccination Coverage (%) | Cumulative no. of Healthcare Workers vaccinated with doses of Sinopharm, AstraZeneca, Sputnik V, Pfizer and Jassen & Johnson | |
|--------------|---|------------------|---------------------|--------------------------|--|------------------|
| | 1 st dose | Fully vaccinated | | | 1 st doses | Fully vaccinated |
| Erongo | 43 258 | 38 674 | 161 966 | 24% | 1 451 | 1 115 |
| Hardap | 29 979 | 25 632 | 69 121 | 37% | 551 | 455 |
| Kharas | 24 239 | 20 582 | 69 786 | 29% | 823 | 500 |
| Kavango East | 42 649 | 32 171 | 105 223 | 31% | 1 290 | 1 037 |
| Kavango West | 32 563 | 26 171 | 57 210 | 46% | 443 | 400 |
| Khomas | 104 445 | 92 327 | 362 620 | 25% | 4 098 | 3 081 |
| Kunene | 29 344 | 24 026 | 72 991 | 33% | 695 | 541 |
| Ohangwena | 33 440 | 27 278 | 174 546 | 16% | 891 | 718 |
| Omaheke | 23 845 | 21 469 | 53 002 | 40% | 429 | 342 |
| Omusati | 28 967 | 25 607 | 179 370 | 14% | 1 026 | 807 |
| Oshana | 25 324 | 22 497 | 143 395 | 16% | 1 653 | 1 360 |
| Oshikoto | 26 302 | 23 117 | 144 912 | 16% | 895 | 785 |
| Otjozondjupa | 36 109 | 32 118 | 112 119 | 29% | 927 | 684 |
| Zambezi | 10 508 | 9 626 | 73 010 | 13% | 717 | 675 |
| Total | 49 0972 | 421 295 | 1 779 271 | 24% | 15 889 | 12 500 |

PUBLIC HEALTH ACTION (S)

- The COVID-19 vaccination programme is ongoing throughout the country.
- The public is encouraged to continue adhering to COVID-19 preventative measures as the situation is being observed.
- The government and development partners continue to prioritize the continuation of essential health services.

CHALLENGES

Slow vaccine uptake among members of the public, and circulation of anti-vaccination information.

RECOMMENDATIONS

Encourage the public to get vaccinated and strengthen community health awareness to counteract anti-vaccination information in circulation.




APPROVED

[Signature]

INCIDENT MANAGER
07 JUNE 2022

[Signature]

SECRETARIAT

For enquiries, please contact
Namibia Public Health Emergency Operations Centre;
 PHEOC@mhss.gov.na
 0800 100 100
 0851 100 100