



| Outbreak Name | COVID-19 outbreak | Country affected | Namibia |
|---------------|----------------------------|--------------------------|---------------|
| Date & Time | 29.11-05.12 .2022 17h00 | Investigation start Date | 14 March 2020 |

HIGHLIGHTS/SITUATION UPDATE (29.11-05.12.2022)

CUMULATIVE

Tested 1 088 469

Confirmed 170 164 (Re-infection 3 091)

Recovered 165 940

Vaccinated 1st doses 577 497 2nd doses 290 882 Booster doses 103 554

Deaths 4 080

TOTAL THIS WEEK

Tested 652

Confirmed 64 Re-infections 10

Active 47

Recovered 0

Vaccinated 1 020 1st doses 282 2nd doses 702 Booster doses

Deaths 0

- A total of 170 164 cases including re-infections have been recorded todate.
- Of the total confirmed cases, 5 735(3%) are Health Workers, with 6 new confirmed this week.
 - 4 814 (84%) State; 906 (15.8%) Private, 15 (0.2%) Non-Governmental Organizations.
 - 5 701 (99.6%) recoveries and 25 (0.4%) deaths.
- The recovery rate now stands at 98%.
- Khomas and Erongo regions reported the highest number of cases with 54 917 (33%) and 23 920 (14%) respectively.
- Of the total fatalities 3 720 (91%) are COVID-19 deaths while 360 (9%) are COVID-19 related deaths.
- The case fatality rate now stands at 2.4%.
- The overall positivity stand at 9%

Table 1: Distribution of confirmed COVID-19 cases by region, as at 05 December 2022

| Region | New case s | New re- infections | Cum re-infections | Cum confirmed excluding re- infections | Active cases | Recoveries | Cum Deaths | Cum deaths with co-morbidities | Non- COVID deaths | Health Workers |
|--------------|------------------|-----------------------|----------------------|---|--------------|------------|------------|--------------------------------|-------------------------|-------------------|
| Erongo | 6 | 3 | 458 | 23 920 | 24 | 23 909 | 431 | 355 | 5 | 529 |
| Hardap | 0 | 0 | 120 | 8 808 | 0 | 8 663 | 265 | 168 | 0 | 194 |
| Kharas | 6 | 0 | 326 | 10 779 | 45 | 10 897 | 163 | 138 | 0 | 324 |
| Kavango East | 0 | 0 | 77 | 6 708 | 1 | 6 552 | 230 | 132 | 2 | 315 |
| Kavango West | 0 | 0 | 4 | 865 | 0 | 846 | 23 | 21 | 0 | 50 |
| Khomas | 24 | 6 | 1 389 | 54 917 | 77 | 55 347 | 911 | 706 | 1 | 1 948 |
| Kunene | 0 | 0 | 73 | 5 293 | 0 | 5 204 | 162 | 110 | 0 | 166 |
| Ohangwena | 0 | 0 | 59 | 6 290 | 1 | 6 126 | 219 | 127 | 2 | 236 |
| Omaheke | 1 | 0 | 72 | 5 409 | 1 | 5 193 | 291 | 205 | 1 | 153 |
| Omusati | 4 | 0 | 66 | 8 061 | 4 | 7 778 | 346 | 211 | 0 | 296 |
| Oshana | 5 | 1 | 113 | 10 918 | 7 | 10 616 | 404 | 244 | 1 | 616 |
| Oshikoto | 1 | 0 | 79 | 8 223 | 1 | 8 088 | 212 | 160 | 2 | 388 |
| Otjozondjupa | 7 | 0 | 225 | 13 223 | 10 | 13 167 | 288 | 196 | 1 | 389 |
| Zambezi | 0 | 0 | 31 | 3 658 | 0 | 3 554 | 135 | 77 | 0 | 131 |
| Total | 54 | 10 | 3 091 | 167 073 | 171 | 165 940 | 4 080 | 2 850 | 15 | 5 735 |

EPIDEMIOLOGICAL SITUATION IN NAMIBA




Figure 2: Epi-curve for confirmed COVID-19 case, as at 05 December 2022

- The highest peak of 12 787 (8%) cases was recorded during week 25 of 2021 (Figure 3).
- The country has started seeing a gradual reduction in the average number of confirmed cases from 2 681 to 429 from epi-week 1 to 18 of 2022.
- Another peak of 2022 cases was recorded in week 20 of 2022
- The number of cases has started decreasing in week 23 of 2022.
- Since March 2020, 98 561 people have been placed into quarantine around the country.
- Currently we do not have anyone in quarantine.

| VARIABLES | TOTAL | |
|--|-----------|--|
| Total samples received by the Laboratory | 7 616 759 | |
| Total samples tested | 7 477 921 | |
| Total samples re-tested | 138 019 | |
| Total positive results | 1 169 418 | |
| Total negative results | 6 307 313 | |
| Total samples discarded | 819 | |
| Invalid results | 0 | |
| Total pending results | 0 | |
| Indeterminant/Inconclusive | 1190 | |
| Suspected cases in 7 days (excluding re-tests) | 652 | |

- The laboratory testing capacity has been enhanced; with a total of twenty-three (23) laboratories carrying out the testing of samples: NIP, Path-Care, UNAM Molecular, Central Veterinary Laboratory, Namib Poultry, NAMDEB, NamPath, Namibia Central Pathology, DiagnoLab, Care, High Alpha Medical Laboratory, NCP, Maerua MC, Des-Jo Medical Test Centre, ProQuest Diagnostic Laboratory, MAXI, Medlink Laboratory Services, Biotech Medical, Covisure, Star Care, Soweto Medical Center, Hosea Kutako International Airport & Oshana Med Laboratory.
- To date, 1 088 469 tests (including 138 019 re-tests) have been conducted by authorized laboratories.
- Since the beginning of the outbreak, 178
 855 contacts have been identified.

Table 6: Summary of COVID-19 booster doses administered as at 05 December 2022

| Region | Cumulative no. of persons vaccinated | | | | | | |
|---|--------------------------------------|-------------|--|--|--|--|--|
| | Sinopharm | AstraZeneca | Pfizer | Booster Doses J&J | | | |
| Erongo | 2825 | 1199 | The state of the s | | | | |
| Hardap | 4574 | 971 | 3998 | 1723 | | | |
| Kharas | 2580 | | 1766 | 3267 | | | |
| Kavango East | | 659 | 789 | 1247 | | | |
| Kavango West | 2276 | 573 | 1338 | 3051 | | | |
| Khomas | 2192 | 806 | 1352 | 2215 | | | |
| CONTRACTOR OF THE PROPERTY OF | 4756 | 2097 | 7657 | 2846 | | | |
| Kunene | 3188 | 1087 | 1026 | 2290 | | | |
| Ohangwena | 1771 | 478 | 191 | 459 | | | |
| Omaheke | 3775 | 1650 | 1199 | 1006 | | | |
| Omusati | 3647 | 1256 | 1167 | 1213 | | | |
| Oshana | 3207 | 786 | 1043 | The second second second second second | | | |
| Oshikoto | 2404 | 590 | 460 | 1395 672 | | | |
| Otjozondjupa | 3080 | 1373 | 1513 | | | | |
| Zambezi | 1137 | 182 | 201 | 1721 | | | |
| Total | 41412 | 13707 | 23700 | 1630 24735 | | | |

PUBLIC HEALTH ACTIONS

- The COVID-19 vaccination programme is ongoing throughout the country.
- The public is encouraged to continue adhering to COVID-19 preventative measures as the situation is being observed.
- > The government and development partners continue to prioritize the continuation of essential health services.

CHALLENGES

- Slow vaccine uptake among members of the public
- Abrupt termination of COVID-19 volunteers' contracts negatively affected the response at all
- National call center was not operational due to the termination of COVID-19 Volunteers contracts.

RECOMMENDATIONS

- > Encourage the public to get vaccinated and strengthen community health awareness to counteract antivaccination information in circulation.
- Integrate response into routine activities

APPROVED

INCIDENT MANAGER

SECRETARIAT

For enquiries, please contact

Namibia Public Health Emergency Operations Centre;

PHEOC@mhss.gov.na

0800 100 100

0851 100 100