Republic of South Sudan

Weekly Integrated Disease Surveillance and Response (IDSR) Epidemiological Bulletin

Reporting period: Epidemiological Week 15

7th to 13th April 2025

This weekly bulletin presents the epidemiological status of priority diseases, events, and conditions under surveillance in South Sudan. The data comes from various actors involved in preparedness and response to public health events in the country. Special thanks to all the health-implementing partners and health cluster humanitarian agencies supporting integrated disease surveillance and response.

Key highlights

- In week 15 of 2025, the IDSR reporting timeliness was 81%, and completeness was 94%. In week15, there was an improvement in timeliness while completeness of IDSR/EWARS reporting remained 94% for the two consecutive weeks (14 and 15). All the Ten (10) states and two (2) of the three administrative areas attained completeness of reporting above 80%. Lakes, Unity, and Western Equatoria states and the Greater Pibor Administrative area achieved 100% completeness of reporting. However, only 9 of the 13 states/administrative areas attained timeliness of reporting above 80%.
- At the EWARN mobile sites, the Timeliness and Completeness of IDSR performance are at 86% respectively. The Timeliness and completeness of performance at these sites remained the same as it was in week14.
- In week 15, 297 EWARS alerts were triggered, and 163 were verified. This was an increase in the number of alerts triggered and verification rates as compared to week 14. Most of the alerts were for AWD (21%), Cholera (17%), ABD (16%), ARI (15%), Malaria (12%), and Guinea Worm (11%). Thanks to the surveillance team in Western Equatoria, Jonglei, NBGZ, and Greater Pibor Administrative Area for verifying most of their EWARS alerts reported in their respective states.
- In week15 of 2025, no new Mpox case was detected and therefore the cumulative total number of confirmed cases remained eight (8), seven in Juba and one in Malakal. There were three new suspected cases reported from Western Equatoria, but all turned out negative on PCR testing.
- As of 30th April 2025, a cumulative total of 54, 762 cholera cases and 1058 deaths were reported. The average CFR is estimated at 1.9%, while 531 are health facility deaths (CFR: 1.0%). Cases have been reported in **47 counties, across 9 states and 2 administrative areas** (Ruweng and Greater Pibor).

Surveillance System Performance

The epidemic alert and response system in South Sudan currently relies mainly on immediate alert notifications and weekly aggregate reporting of cases through the Integrated Disease Surveillance and Response (IDSR) system. This system is complemented by a weekly Early Warning Alert and Response System (EWARS).

Completeness (proportion of all reports received regardless of time) and timeliness (proportion of reports received by the Wednesday following the end of the reporting period) of IDSR and EWARS are shown in Table 1 below. Timeliness and completeness for **week 15 were at 81% and 93%,** respectively, which was an increase in Timeliness and Completeness from the attainments of the previous week 15.

Table 1: *Timeliness and completeness of IDSR reporting by State for week 15 compared to 14 of 2025*

State	Total facilities	Number of facilities reported (Completeness Wk15)	Comparison of the reporting period				Cumulative since year start	
			Timeliness		Completeness		(2025 level)	
			Week 15	Week 14	Week 15	Week 14	Timeliness	Completeness
Lakes	112	112	81%	86%	100%	100%	89%	100%
NBGZ	92	84	72%	88%	89%	91%	75%	85%
Unity	84	84	96%	98%	100%	100%	96%	100%
WBGZ	112	100	84%	71%	88%	89%	69%	92%
WES	191	192	84%	94%	100%	100%	79%	97%
Jonglei	120	117	90%	98%	90%	98%	85%	90%
Warrap	114	101	**54%**	**31%**	85%	89%	64%	83%
EES	112	106	63%	**55%**	93%	95%	62%	87%
RAA	16	12	69%	**6%**	75%	75%	**49%**	93%
CES	152	150	99%	95%	99%	97%	91%	93%
AAA	17	14	82%	65%	82%	65%	81%	94%
Upper Nile	143	131	81%	74%	92%	90%	72%	86%
GPAA	16	16	100%	94%	100%	100%	94%	98%
Total	**1281**	**1200**	**81%**	**79%**	**94%**	**92%**	**78%**	**92%**

NOTE: The total number of facilities reporting in EWARS nationwide is under review and will end by April 2025. In turn, the weekly target reporting health facilities may vary between weeks.

Table 2: Timeliness and completeness of reporting by Payam and Partner of IDSR reporting from NGO-run mobile health facilities and private health facilities in Juba and Wau, Week 15 of 2025.

IDSR Timeliness and Completeness performance of Mobile sites and Private Clinics for week 15, 2025

Partners	# of Reporting Mobile Sites	% of Timeliness in week 15	% of Completeness in week 15	Payam	# of Reporting Private Health Facilities	% of Timeliness in week 15	% of Completeness in week 15
IMC	4	**25%**	**25%**	Kator	3	**100%**	**100%**
SSHCO	1	**100%**	**100%**	Marial Baai	1	**100%**	**100%**
SMC	1	**100%**	**100%**	Northern Bari	1	**100%**	**100%**
SCI	2	**100%**	**100%**	Rajaf	3	**100%**	**100%**
HFO	4	**100%**	**100%**	Muniki	12	**100%**	**100%**
WVI	2	**100%**	**100%**	Wau South	20	**95%**	**95%**
CIDO	1	**100%**	**100%**	Wau North	12	**92%**	**92%**
SP	4	**100%**	**100%**	Juba	10	**100%**	**100%**
HFD	1	**100%**	**100%**	Managala	1	**100%**	**100%**
RI	1	**100%**	**100%**	TOTAL	63	**97%**	**97%**
TOTAL	21	**86%**	**86%**				

An important point to note: Three of the 4 health facilities supported by IMC (1) remained silent in the reporting period. The reason for non-reporting has been given as closure of project facilities but is yet verified.

Figure 1: Maps showing Timeliness and Completeness of IDSR reporting in South Sudan by County in Week 15, 2025



To put current IDSR performance into perspective, we continued comparative analysis of the reporting trends over the past four years. We document that the declines in 2024 (Wk. 21-31) were more pronounced than they were in previous years of 2023 and 2022. In this HSTP transition period, we continue to provide targeted support to the newly contracted health implementing partners and IDSR performance recovery is slow but near complete. Notably, the IDSR timeliness of reporting continued to improve reaching and remaining at optimal reporting ratios above 80% in the previous two weeks.

Figure 2: Tracking of Timeliness and Completeness of IDSR reporting in South Sudan; 2022-2025.



Epidemic alerts

In the epidemiological reporting week 15, a total of 297 alerts were triggered in the EWARS system, with 55% (163 of 297) verified, which was higher than the previous week 14. In Week 15, ten states and three administrative areas recorded at least one notifiable disease alert. Special thanks to Western Equatoria, Jonglei, NBGZ, and Greater Pibor Administrative Area for verifying most of their EWARS alerts. Most of the alerts were for AWD (21%), Cholera (17%), ABD (16%), ARI (15%), Malaria (12%), and Guinea Worm (11%).

Table 3: *Summary of EWARS alerts triggered in Epidemiological Week 15, 2025.*

	AJS		ARI		AWD		AFP		ABD		Cholera		Covid-		EBS		Guinea		Malaria		Measle		Total	
State/Admin	#R	#V	#R	#V	#R	#V	#R	#V	#R	#V	#R	#V	#R	#V	#R	#V	#R	#V	#R	#V	#R	#V	#R	#V
AAA	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0	2	1
CES	0	0	4	2	4	2	0	0	1	0	2	0	0	0	0	0	0	0	6	1	1	0	18	5
EES	0	0	0	0	6	0	0	0	2	0	1	0	1	0	0	0	1	0	1	0	0	0	12	0
GPAA	0	0	0	0	0	0	0	0	0	0	4	4	0	0	0	0	0	0	0	0	0	0	4	4
Jonglei	1	1	3	3	4	4	0	0	4	4	15	15	0	0	0	0	5	5	1	1	0	0	33	33
Lakes	0	0	4	1	6	2	0	0	5	3	2	2	0	0	0	0	18	18	7	3	1	1	43	30
NBGZ	0	0	0	0	1	1	1	1	3	3	3	3	0	0	0	0	0	0	1	1	1	1	10	10
RAA	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Unity	1	0	3	0	6	3	0	0	7	4	14	5	0	0	1	0	0	0	3	2	1	0	36	14
Upper Nile	4	0	8	0	7	0	1	0	7	0	1	0	0	0	0	0	4	1	1	0	0	0	33	1
Warrap	0	0	0	0	4	0	0	0	3	0	7	0	0	0	0	0	3	0	0	0	4	0	21	0
WBGZ	0	0	2	0	2	0	0	0	1	0	2	0	0	0	1	0	1	0	4	0	0	0	13	0
WES	0	0	21	20	23	20	0	0	11	10	0	0	0	0	0	0	0	0	12	11	4	4	71	65
Grand Total	6	1	45	26	63	32	2	1	47	25	51	29	1	0	2	0	32	24	36	19	12	6	297	163

Figure 3*: Timeliness and Completeness of Alerts: Verification rates by county of South Sudan for week 15, 2025*

Weekly Update on Indicator-Based Surveillance (Week 15 of 2024)

Indicator-based surveillance is implemented in South Sudan through the EWARS platform according to the IDSR 3rd guidelines, where approximately 59 priority diseases and public health events are regularly monitored and reported from health facilities across the country.

In week 15 of 2025, a total of **183 733** morbidities were reported from all over South Sudan from across 1282 health facilities. Malaria was the top cause of morbidity accounting for 29% of all cases, followed by Acute respiratory illnesses (17%) and acute watery diarrhea (9%). Analysis of proportional morbidity rates of the three primary illnesses in South Sudan, indicates no significant changes in the distribution patters over the last four years, illustrated in figure 4 below

Figure 4: IDSR Proportional Morbidity in week 15 of 2025.



- In week 15 of 2025, Malaria remained the leading cause of morbidity, recording **53,353** cases and 12 suspected deaths. Analysis of reported malaria cases indicates that the numbers recorded in the week were in normal and expected range; however, continuous monitoring is still important across all levels. In turn, we have maintained a dashboard of Malaria trends analysis for the country, to enable quick detection of states/administrative areas that surpass their previously known detection levels, as shown in a snippet in Figure 5 below.

Figure 5: Malaria Data Analysis Dashboard for IDSR indicator-based surveillance monitoring in South Sudan

Number of Reporting States: ten (10) | **Number of Reporting A As: three (03)** | **Number of Reporting States: Counties (80)** | **Number of Reporting HFs: 1, 282**

Malaria proportional morbidity in South Sudan 2023 to 2025 by epidemiological week.



Number of Malaria Cases and deaths in South Sudan 2023 - 2025.



Malaria trend in South Sudan 2023 - 2025.



Malaria Mortality by State/Administrative Areas of South Sudan, week 15 2025.

State/Admin Areas	Malaria Cases	Malaria Deaths	CFR
Abyei AA	1046	0	0.00%
Reweng AA	1375	0	0.00%
Pibor AA	1406	0	0.00%
Lakes	2725	2	0.07%
NBGZ	3616	0	0.00%
Unity	3793	0	0.00%
Jonglei	4136	0	0.00%
EES	4152	1	0.02%
WES	5028	1	0.02%
WBGZ	5032	0	0.00%
Warrap	5299	2	0.04%
Upper Nile	7116	0	0.00%
CES	8629	6	0.07%
Grand Total	53353	12	0.22%

- Similarly, Week 15 of 2025, recorded **16 487** cases of acute watery diarrhea (1 suspected death in Eastern Equatoria State). Comparative analysis of reported Acute Watery Diarrhea (AWD) cases indicates that the numbers recorded in

the week were in normal and expected ranges; however, in the context of a nationwide Cholera outbreak, it was deemed important to keep this output tracked. In turn, we have created a dashboard of AWD trends and comparative analyses for the country, to enable quick detection of states/administrative may inadvertently miss the outbreak, as shown in a snippet in Figure 6 below.

Figure 6: AWD Data Analysis Dashboard for IDSR indicator-based surveillance monitoring in South Sudan



Table of AWD cases and deaths week 15, 2023 - 2025.

State/Admin Area	AWD Cases	AWD Deaths	CFR
Abyei AA	284	0	0.00%
CES	303	0	0.00%
Reweng AA	595	0	0.00%
Pibor AA	725	0	0.00%
WBGZ	738	0	0.00%
EES	949	1	0.11%
Warrap	1117	0	0.00%
Lakes	1140	0	0.00%
WES	1157	0	0.00%
NBGZ	1397	0	0.00%
Jonglei	1751	4	0.23%
Upper Nile	2396	0	0.00%
Unity	3983	0	0.00%
Grand Total	16535	5	0.33%

Influenza Sentinel surveillance weekly updates.

- Currently, there are six designated Influenza sentinel surveillance sites in the country: Juba Teaching Hospital, Al Sabbah Children's Hospital, Juba Military Hospital, Rumbek State Hospital, Bor State Hospital, and Nimule Hospital. They are actively collecting epidemiological data and samples from ILI/SARI cases.
- During Epidemiological Weeks 1-15 in 2025, a cumulative total of 544 ILI/SARI samples have been collected; 536 tested negative for all pathogens, (2) were positive for COVID-19, (1) for Influenza Type A (H3), (5) for Influenza Type B (Victoria), (0) for Influenza A/(H1N1)pdm09 and (0) for RSV.

Figure 7: Causal analysis of SARI/ILI samples from sentinel sites in South Sudan; Epi Week 1 of 2022 to Week 15 of 2025.



South Sudan Confirmed and ongoing epidemics in 2025

Table 4: *Summary of ongoing and confirmed epidemics*

Aetiologic agent	Location (county)	Date first reported	New cases since Epi-Week 15	Cumulative suspected	Response activities				
					Surveillance/Lab confirmed	Case management	Vaccination	Health promotion	IPC/WASH
Mpox	Juba Malakal	Feb 2025	3	77	11	ongoing	Ongoing	yes	yes
Cholera	In 46 counties across 11 states/AAs	Sept 2024	> 3000	54, 762	309	ongoing	Ongoing	yes	yes
Hepatitis E	Rubkona Fangak Wau Abyei Twic	Dec/2018	-	8,981	1,888	ongoing	Not done	ongoing	ongoing
cVDPV2	Yambio, Juba, Ulang, Nasir, Baliet, Ayod, Old Fangak	19/Dec 2023	-	26	26	Not applicable	Completed 4 nOPV2 SIAs	ongoing	ongoing
Anthrax	Gogrial West (WRP) and Jur River (NBG)	2022		280	4	ongoing	Ongoing in the animal sector	ongoing	ongoing

Since 2022, South Sudan has experienced several emergencies throughout the country. Based on data from the states and the EWARS system, most counties have reported ongoing disease outbreaks. Currently active outbreaks in South Sudan include Anthrax, cholera, cVDPV2, hepatitis E and Mpox. Response interventions to mitigate further transmission and spread are ongoing. Below is a map of the confirmed emergencies as at Week 15 of 2025.

Figure 8: *Map showing confirmed and active outbreaks by county of South Sudan; as at 18th April 2025.*



Response activities for ongoing/suspected outbreaks

1. Index Mpox case confirmed in South Sudan, 6 February 2025

Figure 9: Epidemic Curve of Mpox cases Tested in South Sudan by state/Administrative Area, August 2024-April 2025



- The ministry of Health of the Republic of South Sudan announced the mpox outbreak on February 7, 2025, pursual to the laboratory validation of the index case on 6 February 2025.

- As of 28th April 2025, a cumulative total of 77 suspected Mpox cases have been detected across three states of South Sudan.
- Of the 77 samples collected, 73 of the samples collected from the suspected mpox cases were tested, with only eleven (11) cases testing positive. Three new confirmed cases in the week ending 21st April but these new positive cases were made after re-testing of all previously negative samples as a quality control process. The 11 cases are 10 from Juba and one from Malakal Counties.
- Genetic sequencing of the first three confirmed samples conducted at the Uganda Virus Research Institute isolated Mpox Clade 1b. The remaining 5 positive samples were referred for genetic sequencing on 10th April and results are still pending at UVRI. Notably, EQA re-testing has been done showing non-significant values in the Ct outcomes in the PCR testing
- Phylogenetic analysis of the initial three cases established genetic linkage to Mpox strains circulating in Uganda, supporting epidemiological findings from case investigations.
- Case Demographics and Virology: Confirmed cases are individuals aged 12- 46. The latest case in Mauna/Munuki Bloc, Juba County, was detected on 27th March with onset of symptoms given as 19th March 2025.
- Since the declaration of the Mpox outbreak in South Sudan, the aggregated total of 129 contacts have been recorded. All the listed contacts have concluded the required period of 21 days of daily follow up. The number of active contacts that are still undergoing daily tracing and follow up remained 22, listed from the most recent confirmed case
- No new case has been identified in the contacts follow up this far. However, active surveillance for Mpox continues throughout the country.

2. South Sudan Cholera Outbreak Epidemic description as of 30th April 2025

- The outbreak now totals 54,762 cases and 1058 deaths (CFR: 1.9%), of which 531 are health facility deaths (HF CFR: 1.0%)
- Cases have been reported in 47 counties, across 9 states and 2 administrative areas (Ruweng and Greater Pibor).
- In the last 14 days of reporting (onset from 15 April 2025 to 29 April 2025), 4,123 cases and 91 deaths (21 in health facilities) were reported in 26 counties. Most of these cases came from Juba (858, 20.8%), Gogrial East (800, 19.4%), Tonj North (509, 12.3%) and Rubkona (486, 11.8%).
- Twic County in Warrap state is the new county to report cholera cases.
- Western Equatoria remain the only state with no reported cases of cholera

Table 5: Summary of Cholera cases by state and CFR as of 30th April 2025

State	Infected Counties	Total cumulative	RDT positive	Laboratory culture positive case(s)	Deaths	Overall CFR (%) By state
CES	2	6,636	1,482	41	95	1.4
EES	3	546	36	7	31	5.7
GPAA	1	1,681	8	8	66	3.9
JNG	10	8,987	514	80	235	2.6
LAK	3	692	256	31	26	3.8
NBGZ	5	7949	137	12	36	0.5
RAA	1	159	67	0	3	1.9
UNI	7	19408	6655	51	363	1.9
UPPER	10	5069	493	46	75	1.5
WBGZ	2	877	18	3	23	2.6
WRP	3	2758	177	30	105	3.8
Total	**47**	54,762	9,843	309	1058	**1.9**

Figure 10: Epidemic curve and distribution of Cholera Cases in South Sudan by Week, wk39, 2024 to Wk15, 2025



Figure 11: Map showing cholera cases and deaths distribution by Counties of South Sudan updated on as of week 15



Figure 12: Graph showing age Pyramid of cholera cases and deaths distribution by age group, sex as of 30th April 2025



Resident status	n	percent
Refugee	2,664	4.9%
Returnee	533	1.0%
Host community/Resident	39,118	71.4%
IDP	5,827	10.6%
Other	394	0.7%
Unknown	6,226	11.4%
Total	54,762	100.0%

Oral Cholera Vaccination Updates

- The ICG has approved 7.4 million doses, and additional requests have been submitted for Gogrial East and Tonj North in Warrap State.
- Currently a total of 5.4 million doses of OCV have been administered out of a target of 5.9 million doses received, resulting in 91% overall coverage.
- 26 counties have completed vaccination, with 15 achieving over 90% coverage. Data entry is ongoing in many locations.

Next Steps

- Continue rolling out Oral Cholera Vaccination (OCV) campaigns. Targeted vaccination of cross-border populations between Sudan and South Sudan is critical given the sustained influx of susceptible/infected populations forced by the Sudan crisis.

- Continue testing in counties according to the surveillance guidelines (3 to 5 samples for RDT per week) for monitoring the outbreak
- Step up Infection Prevention and Control as well as Water/Sanitation Hygiene (IPC/WASH) interventions.
- Plan and conduct post-campaign coverage verification surveys for counties that completed OCV SIAs before recall biases escalate.
- Develop and implement accelerated response plans for cholera control before the rainy season sets in in May 2025.

3. Circulating Vaccine Derived Polio Virus Type 2 (cVDPV2) outbreak

- On December 22, 2023, the Ministry of Health declared a public health emergency due to cVDPV2 following confirmed cases in Yambio. There was no new cVDPV2/VDPV2 isolate detected/reported in the week. Cumulatively, laboratory-confirmed cVDPV2 and VDPV2 isolates remained 27 and 9 respectively. The latest and last cVDPV2 was from an environmental isolate whose sample collection date was 3rd December 2024 from Amarat collection site in Juba, Central Equatoria state. However, the latest PV2 isolate (pending sequencing for genetic characterization) was from a sample collected at Roton on 25 Feb 2025
- In the latest and last nOPV2 vaccination response (4th response round), 3,663,497 children were reached with at least 99% administrative coverage attained in all states. This fourth response round saw 181,595 children receive their first dose of nOPV2 (not fully protected against type 2 Polio). Support supervision increased from 1,648 in the 3rd round to 2,151 in the fourth round. In turn, the LQA survey results showed an increase in quality, with 65% (26 of 40 counties) passing the test compared to 48% (19 of the 40 counties sampled) in the previous 3rd round. Tambura and Nagero counties which were the last to start their fourth round nOPV2 SIAs on 29th March successfully completed on the 1st April 2025.
- nOPV2 Vaccine monitoring and Accountability wastage monitoring indicates that the fourth round had a rate of 5.22% compared to 8.9% in R3. Note that this was the lowest rate even when compared to Round 2 and 1 where it was 8.90% and 5.93% respectively.
- In 2025, a cumulative total of 82 AFP cases were detected in 46 counties. This brings the non-polio AFP rate to 1.08 per 100,000 children under 15 years and a stool adequacy rate remained 96%. Thanks to the nOPV2 campaign associated active search for AFP cases which saw Epidemiological weeks 7-9 report the most number since the year begun. Notably in 2024, the non-polio AFP rate was 5.96 per 100,000 and the stool adequacy rate was 94%. Maintaining high AFP detection rates remains a challenge due to funding constraints and the evolving security situation in the country.

4. Anthrax

- In week 15, there were no Anthrax case reported from Warrap state and Western Bahar-el Ghazal States and no fatality reported.
- The cumulative total of Human Anthrax cases in 2025 alone is 119 cases reported from two states (WBeG – 85 and Warrap 34). Of the 119 human cases, one case had died giving a case fatality rate (CFR) of 0.84%
- Since the onset of the outbreak in 2024, a cumulative total of 280 human anthrax cases have been reported from two states: Of these, one sample tested positive for anthrax at UVRI in Uganda. Among the 280 human

cases, 4 have died, resulting in a case fatality rate (CFR) of 1.4%.

- However, the data provided here should be interpreted with caution due to under-reporting of anthrax cases.
- This year, Jur River in Western Bar-El Gazal State has the highest recorded 59 cases representing attack rate of 24.0 per 100,000 population, followed by Wau in Western Bar-El Gazal has an attack rate of 11.5 per 100,000 population, Gogrial West County in Warrap State with an attack rate of 5.3 per 100,000 population and Gogrial East in Warrap State has an attack rate of 1.8 per 100,000 population.

Figure 13: Epidemiological Curve for Anthrax cases in South Sudan week1 to week15 of 2025



Figure 14: Geographical distribution of Suspected Anthrax Cases by affected counties of South Sudan; Week 1-15 of 2025



Figure 15: Age distribution of Suspected Anthrax Cases in Western Bahr El Ghazaal and Warrap States; Week 1-15 of 2025



Table 6: Cumulative attack rate per 100,000 for the ongoing Anthrax outbreak in Warrap and Western Bahr EL-Ghazal States by county as of 26th April 2025

County	Frequency	Population	Attack Rate/100000
Jur River	59	245725	24.0
Gogrial West	31	582379	5.3
Gogrial East	5	273977	1.8
Wau	24	208486	11.5
Grand Total	**119**	**1036590**	**11.5**

Ongoing Intervention

- Multisectoral Sectoral Collaborations
  - Coordination meetings with stakeholders to strategize on outbreak mitigation with state and county officers
  - Continued case search with Rapid Response Teams to obtain updated outbreak information needed facilitate informed decision-making.
- Community Engagement and Risk Communication
  - Need for enhancement of RCCE activities in Warrap and WBeG State to increase awareness about the disease and reporting of suspected cases.
  - To conduct essential mapping of health and hygiene promoters in the cattle Camps and disseminate anthrax prevention messages.
- Vaccination
  - No human vaccination campaign has been conducted in the affected areas.
  - Total of 1,741 animals have been vaccinated across three Boma (Majok-Yienhliet, Maluallukluk and Waar-Alel/Kuajok) in 2024.
- Partnership with FAO and Other Partners
  - WHO and FAO continue to collaborate at the highest level of leadership and technical levels in providing support to the government
  - Deployment of Rapid response teams for investigation and treatment of cases and provision of vaccination for animals.
- Logistics and Supplies
  - WHO provided logistical and operational support to One Health multisectoral team deployed to investigate the ongoing outbreaks in the two states

5. Measles Update

- Since the beginning of the year 2025 (Epidemiological week 01 to week 15), a cumulative total of 93 suspected measles cases have been reported from 17 counties in 8 states, 34 samples were collected with 22 turned out to be laboratories confirmed cases giving a positivity rate of 65%. Three counties have confirmed at least three cases (Aweil Center, Gogrial West and Kapoeta South), while Magwi, Morobo and Yambio had confirmed at least 1 to 2 cases
- 85% of measles cases occur in children under 5 years of age, highlighting a critical failure in routine immunization and supplemental immunization activities.
- Additionally, 94% of these cases occur in children who have no record/history of measles vaccination, creating justifiable measles control reliance on the exclusion of the zero-dose populations.

Figure 16: Epidemic curve of measles cases in South Sudan; Week 01 to week 15 of 2025



Figure 17: Dashboard for vaccination Status of Measles Cases in South Sudan; Week 1-15 of 2025



6. Hepatitis E outbreak in Bentiu IDP Camp in Unity State.

- In week 15 of 2025, there were no reported cases of hepatitis E virus disease and zero (0) death.

- Cumulatively, a total of 6,407 cases have been documented with 36 deaths since the start of the outbreak in January 2018
- Of the 6,407 hepatitis E virus cases recorded, 1,888 cases had tested positive by rapid diagnostic test (RDT) since the onset of the outbreak in 2028.
- Among individuals aged 15 to 44 years, 43% of the reported cases were recorded,
- Males represented 53% (3, 3374 cases) of the total cases, while females accounted for 47% (3, 033 cases).
- The data illustrated in the provided chart displays the distribution of HEV cases based on the patients' place of residence, both within and outside Bentiu PoC.
- Mainly, cases were detected in people living outside the boundaries of Bentiu PoC, who then go the healthcare centres positioned inside the PoC for medical support.

Figure 18*: Epicure of HEV in Bentiu IDP camp, Unity State; Epi Week 52 of 2018 to Week 15 of 2025*



Figure 19*: Location and age distribution of Hepatitis E cases in Bentiu, Unity state of South Sudan*





Other Events

Sudan crisis: As of 3 May 2025, a cumulative total of 1, 135, 967 individuals (587,387 Females and 548,580 Males) from 18 different nationalities had crossed the border. South Sudanese returnees account for 68.5% (777,675) while Sudanese refugees contributed for 31.0% (352,351). Currently, 21 PoEs are being monitored, with Joda-Renk accounting for 89.0% of the reported influx figures. There are currently 66259 individuals (20683 in transit centers and 45,576 in host communities) in Renk. Due to the evolving security situation in Joda, the data collection may be incomplete.

Host communities and healthcare systems are struggling to cope with the increased demand for health

and other services, as well as with morbidity and mortality among returnees and refugees. Renk has just concluded an OCV mop-up campaign targeting new arrivals, achieving a total coverage of 60% (75 986). Vaccination will continue at targeted points of entry

Acknowledgments

Thanks to the State Surveillance Officers, Health Cluster partners for sharing the weekly IDSR data. To access the IDSR bulletins for 2025 use the link below: https://www.afro.who.int/countries/south-sudan/publication/south-sudan-weekly-integrated-disease-surveillance-and-response-bulletin-2025

This bulletin is produced by the Ministry of Health with Technical support from WHO
For more help and support, please contact:
Dr Joseph Lasu Hickson
Emergency Preparedness and Response
Ministry of Health Republic of South Sudan
Email: josh2013.lasu@gmail.com
Phone number +211921395440

Dr. Kediende Chong
Director General Preventive Health Services
Ministry of Health
Republic of South Sudan
Email: mkediende@gmail.com
Phone number: +21192888461

Dr BATEGEREZA, Aggrey Kaijuka
WHO-EPR Team Lead
Email: bategerezaa@who.int
Phone number: +211 924222030

Notes

WHO and the Ministry of Health gratefully acknowledge the surveillance officers [at state, county, and health facility levels], health cluster and healthpooled fund (HPF) partners who have reported the data used in this bulletin.We would also like to thank ECHO, USAID and the World Bank for providing financial support.

The data has been collected with support from the EWARS project. This is aninitiative to strengthen early warning, alert, and response in emergencies. It includes an online, desktop and mobile application that can be rapidly configured and deployed in the field. It is designed with frontline users in mind and built to work in difficult and remote operating environments. This bulletin has been automatically published from the EWARS application.
More information can be found at: http://ewars-project.org

Data source: DHIS-2 and EWARS