



Republic of South Sudan

Weekly Integrated Disease Surveillance and Response (IDSR) Epidemiological Bulletin

Reporting period: Epidemiological Week 20

12th to 18th May 2025

This weekly bulletin presents the epidemiological status of priority diseases, events, and conditions under surveillance in South Sudan. The data comes from various actors involved in preparedness and response to public health events in the country. Special thanks to all the health implementing partners and health cluster humanitarian agencies supporting integrated disease surveillance and response.

Key highlights

- In week 20 of 2025, the IDSR reporting timeliness was at 78%, and completeness was at 89%. In Week 20, there was an improvement in timeliness of IDSR/EWARS reporting from 75% to 78% however, completeness remains as it was in previous week19. The IDSR timeliness and completeness of reporting for week 20 endure in the array of what was reported in the last two preceding years (2024 and 2023). 8 states and two administrative areas attained completeness of reporting above 80%. Greater Pibor administrative area, Lakes, Ruweng administrative area, and Western Equatoria state accomplished 100% completeness of reporting. Nevertheless, only 7 of the 13 states/administrative areas reached timeliness of reporting above 80%.
- At the EWARN mobile sites, the Timeliness and Completeness of IDSR performance are at 81% and 86%, respectively. There was an improvement in both timeliness and completeness of reporting from 67% to 81% and 67% to 86% in week19 and Week20, respectively. The decline in timeliness and completeness of reporting in partners site was due some three (3) IMC and one (1) WVI sites that had not reported.
- In week 20, 242 EWARS alerts were triggered, and 161 were verified. These showed a decrease in the number of alerts triggered and an increase in their verification rates as compared to week 19. Most of the alerts were for Cholera (21%), Malaria (17%), AWD (15%), ARI (14%), Guinea Worm (13%), and ABD (13%). Congratulations to the surveillance team in Lakes, NBGZ, Jonglei, and the Greater Pibor Administrative Area for verifying most of their EWARS alerts reported in their respective states.
- As of week 20, the total number of confirmed mpox cases has increased to fifteen (15) (Twelve in Juba, one in Malakal, and two in Rumbek Center). The mpox outbreak was declared in South Sudan following the confirmation of the index case in Juba on February 6, 2025, by the National Public Health Lab.
- The outbreak now totals 69,268 cases and 1335 deaths (CFR: 1.9%), of which 699 are health facility

deaths (HF CFR: 1.0%). Cases were reported in 52 counties across 9 states and 2 Administrative Areas, including Ruweng and Pibor.

Surveillance System Performance

The epidemic alert and response system in South Sudan currently relies mainly on immediate alert notifications and weekly aggregate reporting of cases through the Integrated Disease Surveillance and Response (IDSR) system. This system is complemented by a weekly Early Warning Alert and Response System (EWARS).

Completeness (proportion of all reports received regardless of time) and timeliness (proportion of reports received by the Wednesday following the end of the reporting period) of IDSR and EWARS are shown in Table 1 below. Timeliness and completeness for **week 20** were at **78% and 89%**, respectively, which represented a decrease in Timeliness and the same percentage in completeness compared to the previous week's attainments.

Table 1: Timeliness and completeness of IDSR reporting by State for week 20 compared to week 19 of 2025

State	Total facilities	Number of facilities reported (Completeness Wk20)	Comparison of the reporting period				Cumulative since year start (2025 level)	
			Timeliness		Completeness		Timeliness	Completeness
			week 20	Week 19	Week 20	Week 19		
Lakes	112	112	100%	100%	100%	100%	92%	100%
NBGZ	92	78	71%	83%	85%	84%	74%	85%
Unity	85	84	99%	98%	99%	100%	95%	100%
WBGZ	112	102	61%	58%	91%	88%	59%	85%
WES	191	191	87%	80%	100%	99%	76%	98%
Jonglei	120	109	91%	74%	91%	83%	82%	89%
Warrap	114	93	60%	58%	82%	86%	62%	83%
EES	112	85	52%	49%	76%	79%	58%	85%
RAA	16	16	100%	31%	100%	100%	45%	94%
CES	152	141	93%	92%	93%	94%	91%	93%
AAA	17	13	76%	71%	76%	76%	77%	91%
Upper Nile	143	107	61%	62%	75%	76%	68%	85%
GPAA	16	16	100%	94%	100%	100%	93%	98%
Total	1282	1147	78%	75%	89%	89%	76%	91%

NOTE: The total number of facilities reporting in EWARS nationwide is under review and will end by February 2025. In turn, the weekly target reporting from health facilities may vary from week to week.


Table 2: Timeliness and completeness of reporting by Payam and Partner of IDSR reporting from NGO-run mobile health facilities and private health facilities in Juba and Wau, Week 20 of 2025.

IDSR Timeliness and Completeness performance of Mobile sites and Private Clinics for week 20, 2025							
Partners	# of Reporting Mobile Sites	% of Timeliness in week 20	% of Completeness in week 20	Payam	# of Reporting Private Health Facilities	% of Timeliness in week 20	% of Completeness in week 20
IMC	4	25%	25%	Kator	3	100%	100%
SSHCO	1	100%	100%	Marial Baai	1	100%	100%
SMC	1	100%	100%	Northern Bari	1	100%	100%
SCI	2	100%	100%	Rajaf	3	100%	100%
HFO	4	100%	100%	Muniki	12	100%	100%
WVI	2	50%	100%	Wau South	20	95%	95%
CIDO	1	100%	100%	Wau North	12	92%	92%

SP	4	100%	100%	Juba	10	100%	100%
HFD	1	100%	100%	Managala	1	100%	100%
RI	1	100%	100%	TOTAL	63	97%	97%
TOTAL	21	81%	86%				

An important point to note: Three of the 4 health facilities supported by IMC, and 1 from WVI remained silent in the reporting period. The IDSR team will explore the reasons for non-reporting with the aim of re-establishing weekly IDSR reporting.

Figure 1: Maps showing Timeliness and Completeness of IDSR reporting in South Sudan by County in Week 20, 2025



Given the turbulent declines in timeliness and completeness of IDSR reporting, observed in June/July 2024, we continued to analyze the performance over the past four years. We documented that the declines in 2024 (Wk. 21-31) were more pronounced than they were in previous years of 2023 and 2022. In this HSTP transition period, we continue to provide targeted support to the newly contracted health implementing partners, and IDSR performance recovery is imminent. Notably, the IDSR timeliness of reporting continued to improve, reaching, and remaining at optimal reporting ratios above 80% in the previous two weeks.


Epidemic alerts

In the epidemiological reporting week 20, a total of 242 alerts were triggered in the EWARS system, with 67% (161 of 242) verified, which was higher than the previous week 19. In Week 20, ten states and three administrative areas recorded at least one notifiable disease alert. Special thanks to Lakes, NGBZ, Jonglei, and the Greater Pibor Administrative Area for verifying most of their EWARS alerts. Most of the alerts were for Cholera (21%), Malaria (17%), AWD (15%), ARI (14%), Guinea Worm (13%), and ABD (13%)

Table 3: Summary of EWARS alerts triggered in Epidemiological Week 20, 2025.

State/Admin	AIS		AR		AWD		ABD		Cholera		Covid-19		EBS		Guinea Worm		Malaria		Measles		NNT		RF		Total	
	#R	#V	#R	#V	#R	#V	#R	#V	#R	#V	#R	#V	#R	#V	#R	#V	#R	#V	#R	#V	#R	#V	#R	#V	#R	#V
AAA	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
OES	0	0	1	0	4	1	1	0	2	0	0	0	0	0	0	0	4	1	2	0	1	0	0	0	15	2
EES	0	0	0	0	2	0	2	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	7	0
GPAA	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Jonglei	1	1	1	1	1	1	3	3	11	11	0	0	0	0	4	4	0	0	0	0	0	0	0	0	21	21
Lakes	0	0	4	4	4	4	3	3	1	1	1	1	0	0	22	22	5	5	2	2	0	0	1	1	43	43
NBGZ	0	0	1	1	2	2	0	0	1	1	0	0	0	0	0	0	7	7	1	1	0	0	0	0	12	12
RAA	0	0	1	0	2	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	7	0
Unity	1	1	3	3	0	0	7	4	18	11	0	0	0	0	0	0	6	6	0	0	0	0	1	1	36	26
Upper Nile	1	1	7	5	8	8	9	5	6	6	0	0	1	0	2	2	3	2	0	0	0	0	0	0	37	29
Warrap	0	0	0	0	1	0	1	0	6	0	0	0	0	0	4	0	1	0	1	0	0	0	0	0	14	0
WBGZ	0	0	1	0	5	0	2	2	1	1	0	0	0	0	0	0	7	0	0	0	0	0	0	0	16	3
WES	0	0	14	7	7	6	3	3	0	0	0	0	0	0	0	0	8	8	0	0	0	0	0	0	32	24
Grand Total	3	3	33	21	36	22	32	20	50	32	1	1	5	0	32	28	41	29	6	3	1	0	2	2	242	161


Figure 2: *Timeliness and Completeness of Alerts: Verification rates by county of South Sudan for week 20, 2025*



Influenza Sentinel surveillance weekly updates.

- Currently, there are six designated Influenza sentinel surveillance sites in the country: Juba Teaching Hospital, Al Sabbah Children's Hospital, Juba Military Hospital, Rumbek State Hospital, Bor State Hospital, and Nimule Hospital. They are actively collecting epidemiological data and samples from ILI/SARI cases.

Figure 3: *Confirmed Influenza, COVID-19, and RSV cases from sentinel sites, Epidemiological Week 1 of 2022 to Week 20 of 2025.*



- During Epidemiological Weeks 1-20 in 2025, a total of 674 ILI/SARI samples have been collected; 663 tested negative for all pathogens, (4) were positive for COVID-19, (1) for Influenza Type A (H3), (6) for Influenza Type B (Victoria), (0) for Influenza A/(H1N1)pdm09 and (0) for RSV.

South Sudan Confirmed and ongoing epidemics in 2025


Table 4: *Summary of ongoing and confirmed epidemics*

Aetiologic agent	Location (county)	Date first reported	New cases since Epi-Week 20	Cumulative suspected	Response activities				
					Surveillance/Lab confirmed	Case management	Vaccination	Health promotion	IPC/WASH
Mpox	Juba Malakal	Feb 2025	-	272	15	Mpox	Juba Malakal	yes	yes

Cholera	In 52 counties across 9 states & 3 AAs	Sept 2024	> 1000	69, 268	419	Cholera	In 52 counties across 11 states/AAs	yes	yes
Hepatitis E	Rubkona Fangak Wau Abyei Twic	Dec/2018	-	8,984	1,888	Hepatitis E	Rubkona Fangak Wau Abyei Twic	yes	yes
cVDPV2	Yambio, Juba, Ulang, Nasir, Baliyet, Ayod, Old Fangak	19/Dec 2023	-	26	26	cVDPV2	Yambio, Juba, Ulang, Nasir, Baliyet, Ayod, Old Fangak	yes	yes
Anthrax	Gogrial West (WRP) and Jur River (NBG)	2022	-	281	4	Anthrax	Gogrial West (WRP) and Jur River (NBG)	yes	yes

Since 2022, South Sudan has experienced several emergencies throughout the country. Based on data from the states and the EWARS system, most counties have reported ongoing disease outbreaks. Currently active outbreaks in South Sudan include Anthrax, cholera, cVDPV2, hepatitis E and Mpox. Response interventions to mitigate further transmission and spread are ongoing. Below is a map of the confirmed emergencies as at 1st April 2025.





Figure 4: Map showing confirmed and active outbreaks by county of South Sudan; as at 26th February 2025.



Response activities for ongoing/suspected outbreaks

1. Index Mpox case confirmed in South Sudan, 6 February 2025

Figure 5: Epidemic Curve of Mpox cases Tested in South Sudan by state/Administrative Area, August 2024-May 2025



- The ministry of Health of the Republic of South Sudan announced the mpox outbreak on February 7, 2025, pursuant to the laboratory validation of the index case on 6 February 2025.
- As of 27 May 2025, a cumulative total of 272 suspected Mpox cases have been detected across three states of South Sudan since the confirmation of the outbreak.
- Of the 272 suspected cases, 93 were investigated with a lesion swab collected. Out of the 93 Mpox lesion swabs collected from the suspected Mpox cases, 89 were tested, with only fifteen (15) cases testing positive.

- Genetic sequencing of the first eight confirmed samples conducted at the Uganda Virus Research Institute isolated Mpox Clade 1b. The remaining 6 positive samples are yet to be referred for genetic sequencing. Notably, EQA re-testing has been done showing non-significant values in the Ct outcomes in the PCR test results from UVRI compared to those generated at NPHL
- Phylogenetic analysis of the initial eight positive cases established genetic linkage to Mpox strains circulating in Uganda, supporting epidemiological findings from case investigations.
- Case Demographics and Virology: Confirmed cases are individuals aged 12- 46. There is equal spreading of Mpox cases by gender. The latest Mpox positive case was reported in Rumbek Prison on 30th April 2025 with onset of symptoms given as 17th April 2025. Index case investigation in Rumbek is still ongoing.
- Since the declaration of the Mpox outbreak in South Sudan, the aggregated total of 129 contacts have been recorded. However, in Rumbek Prison, the State task force has established a daily temperature check of all nearly 500 inmates. All the listed contacts previously listed for cases in Juba and Malakal have accomplished the critical period of 21 days of daily follow up. The number of active contacts that are still undergoing daily tracing are prisoners in Rumbek Prison only.
- No new case has been identified in the contacts follow up so far. Though, active surveillance for Mpox endures throughout the country.

2. South Sudan Cholera Outbreak Epidemic description as of 4 June 2025

- The outbreak now totals 69,268 cases and 1335 deaths (CFR: 1.9%), of which 699 are health facility deaths (HF CFR: 1.0%).
- Cases have been reported in 52 counties, across 9 states and 2 administrative areas (Ruweng and Greater Pibor).
- In the last 14 days of reporting (onset from 20 May 2025 to 03 June 2025), 3,115 cases and 40 deaths (15 in health facilities) were reported in 33 counties.
- Most of these cases came from Juba (734, 23.9%), Rubkona (734, 23.9%), Twic (257, 8.4%) and Aweil South (229, 7.5%).
- Under reporting is noted from some locations, especially in counties affected by the current insecurity in Upper Nile and Jonglei
- A sizable backlog of cases (over 900) not reported in the past week mainly from Tonj North, Juba, Akoka, and counties in Unity and Norther Bahr el Ghazal.
- Suspected cholera cases in Agok, Abyei Administrative Area, Torit, and Abiemnhom but no lab confirmation by culture yet.
- Western Equatoria is the only state without reported cases.

Table 5: Summary of Cholera cases by state and CFR as of 4 June 2025

State	Infected Counties	Total Cumulative	Laboratory Confirmed Case(s)	RDT Pos	Deaths	Overall CFR (%)
CES	2	8932	42	1505	110	1.23

EES	6	1947	33	153	118	6.06
GPA	1	1712	11	8	66	3.86
JNG	10	12749	86	542	248	1.95
LAK	3	692	31	256	26	3.76
NBGZ	5	8409	19	141	55	0.65
RAA	1	159	0	67	3	1.89
UNI	7	21855	78	7071	374	1.71
UPPER	12	5763	55	706	132	2.29
WBGZ	2	1394	9	93	51	3.66
WRP	3	5656	55	178	152	2.69
Total	52	69268	419	10720	1335	1.9%

Figure 6: Epidemic curve and distribution of Cholera Cases in South Sudan by Week, wk39, 2024 to Wk20, 2025




Figure 7: Map showing cholera cases and deaths distribution by Counties of South Sudan updated on as of 4 June





Figure 8: Graph showing age Pyramid of cholera cases and deaths distribution by age group, sex and resident status as of 4 June 2025



Oral Cholera Vaccination Updates

- Fourteen (14) ICG requests submitted and approved between November 2024 to May 2025
- A total of **8,553,071 OCV doses** approved by ICG for vaccination response in **9 states and 1 administrative area** of South Sudan.
- A total of **278,339** shipped in-country to add up to the balance of **361,338** doses already in-country making a total of **639,677** doses in-country.
- New approvals for **842,846 doses** for three Counties (**Twic- Warrap State, Uror – Jonglei State and Budi – Eastern Equatoria State**) pending delivery in-country.
- Preparation to resubmit request for **Kapoeta East** as well as seek advice from ICG to implement campaigns in **Ulang and Nasir Counties** initially on hold.

Next Steps

- Continue rolling out Oral Cholera Vaccination (OCV) campaigns. Targeted vaccination of cross-border populations between Sudan and South Sudan is critical given the sustained influx of susceptible/infected populations forced by the Sudan crisis.
- Continue testing in counties according to the surveillance guidelines (3 to 5 samples for RDT per week) for monitoring the outbreak.
- Step up Infection Prevention and Control as well as Water/Sanitation Hygiene (IPC/WASH) interventions.
- Plan and conduct post-campaign coverage verification surveys for counties that completed OCV SIAs before recall biases escalate.
- Develop and implement accelerated response plans for cholera control before the rainy season sets in in May 2025.
- Plan and Post Campaign Coverage Surveys in all counties which implemented OCV campaigns
- Plan, update and validate a list of national cholera **Priority Areas for Multisectoral Intervention (PAMIs)** in preparation to apply for Gavi for preventive OCV doses in the future

3. Circulating Vaccine Derived Polio Virus Type 2 (cVDPV2) outbreak

- On December 22, 2023, the Ministry of Health declared a public health emergency due to cVDPV2 following confirmed cases in Yambio. There was no new cVDPV2/VDPV2 isolate detected/reported in the week. Cumulatively, laboratory-confirmed cVDPV2 and VDPV2 isolates remained 27 and 9, respectively. The latest and last cVDPV2 was from an environmental isolate whose sample collection date was 3rd December 2024 from Amarat collection site in Juba, Central Equatoria state. However, the latest PV2 isolate (pending sequencing for genetic characterization) was from a sample collected at Roton on 25 Feb 2025
- In the latest and last nOPV2 vaccination response (4th response round), 3,663,497 children were reached with at least 99% administrative coverage attained in all states. This fourth response round saw 181,595 children receive their first dose of nOPV2 (not fully protected against type 2 Polio). Support supervision increased from 1,648 in the 3rd round to 2,151 in the fourth round. In turn, the LQA survey results showed an increase in quality, with 65% (26 of 40 counties) passing the test compared to 48% (19 of the 40 counties sampled) in the previous 3rd round. Tambura and Nagero counties which were the last to start their fourth round nOPV2 SIAs on 29th March successfully completed on the 1st April 2025.
- nOPV2 Vaccine monitoring and Accountability wastage monitoring indicates that the fourth round had a rate of 5.22% compared to 8.9% in R3. Note that this was the lowest rate even when compared to Round 2 and 1 where it was 8.90% and 5.93% respectively.
- In 2025, a cumulative total of 128 AFP cases were detected in 63 counties. This brings the non-polio AFP rate to 1.43 per 100,000 children under 15 years and a stool adequacy rate remained 88%. Thanks to the nOPV2 campaign associated active search for AFP cases which saw Epidemiological weeks 7-9 report the most number since the year begun. Notably in 2024, the non-polio AFP rate was 5.96 per 100,000 and the stool adequacy rate was 94%. Maintaining high AFP detection rates remains a challenge due to funding constraints and the evolving security situation in the country.

4. Anthrax

- During week 20 of 2025, there were no Anthrax cases reported and no deaths.
- In 2025 alone, a total of 120 human Anthrax cases have been reported from two states (WBeG – 86 and Warrap 34). Of the 120 human cases, two cases had died giving a case fatality rate (CFR) of 1.7%.
- Since the onset of the outbreak in 2024, a cumulative total of 281 human anthrax cases have been reported from two states: Of these, one sample tested positive for anthrax at UVRI in Uganda. Among the 281 human cases, 5 have died, resulting in overall case fatality rate (CFR) of 1.8%.
- However, the data provided here should be interpreted with caution due to under-reporting of anthrax cases.
- This year, Jur River in Western Bar-El Gazal State has the highest recorded 60 cases representing attack rate of 24.4 per 100,000 population, followed by Wau in Western Bar-El Gazal with an attack rate of 11.5 per 100,000 population, Gogrial West County in Warrap State with an attack rate of 5.3 per 100,000 population and Gogrial East in Warrap State has an attack rate of 1.8 per 100,000 population.

Figure 9: Epidemiological Curve for Anthrax cases in South Sudan week1 to week19 of 2025




Figure 10: Geographical distribution of Suspected Anthrax Cases by affected counties of South Sudan; Week 1-19 of 2025




Figure 11: Age distribution of Suspected Anthrax Cases in Western Bahr El Ghazal and Warrap States; Week 1-19 of 2025





Table 6: Cumulative attack rate per 100,000 for the ongoing Anthrax outbreak in Warrap and Western Bahr EL-Ghazal States by county as of 14th May 2025

County	Frequency	Population	Attack Rate/100000
Jur River	60	245725	24.4
Gogrial West	31	582379	5.3
Gogrial East	5	273977	1.8
Wau	24	208486	11.5
Grand Total	120	1036590	11.6

Ongoing Intervention

- Multisectoral Sectoral Collaborations
 - Conducting running meetings with stakeholders to direct on outbreak mitigation with state and county officers
 - Continuous case search with Rapid Response Teams to achieve updated outbreak evidence needed to enable well-versed decision-making.
- Community Engagement and Risk Communication
 - Constant expansion of RCCE activities in Warrap and WBeG State to raise consciousness about the disease and reporting of suspected cases.
 - To conduct essential mapping of health and hygiene promoters in the cattle Camps and disseminate anthrax prevention messages.



6. Hepatitis E outbreak in Bentiu IDP Camp in Unity State.

- In week 20 of 2025, there were no reported cases of hepatitis E virus disease and zero (0) death.
- Cumulatively, a total of 6,410 cases have been documented with 36 deaths since the start of the outbreak in January 2018
- Of the 6,410 hepatitis E virus cases recorded, 1,888 cases had tested positive by rapid diagnostic test (RDT) since the onset of the outbreak in 2018.
- Age group 15 to 44 years recorded 43% of the reported hepatitis E virus cases,
- Males sex embodied 53% (3, 3374 cases) of the total cases, however females reported 47% (3, 033 cases).
- The data illustrated in the provided chart displays the distribution of HEV cases based on the patients' place of residence, both within and outside Bentiu PoC.
- Predominantly, cases were found in people living outside the confinement of Bentiu PoC, who also go to the healthcare centres located in the interior of the PoC for medical help.

Figure 14: Epicure of HEV in Bentiu IDP camp, Unity State; Epi Week 52 of 2018 to Week 20 of 2025






Figure 15: Location and age distribution of Hepatitis E cases in Bentiu, Unity state of South Sudan



Other Events

Sudan crisis: As of 2 June 2025, a cumulative total of 288,076 households containing **1,165, 757 individuals (605,296 Females and 560,461 Males) from 18 different nationalities had crossed the border**. Of this number, **68. 3% (796,703)** are South Sudanese returnees, beside 31.1% (363,078) are Sudanese refugees. Currently, 21 PoEs are being monitored, with Joda-Renk accounting for 89% of the reported influx figures. There are currently 66,259 individuals (20,683 in transit centers and 45,576 in host communities) in Renk. Due to the evolving security situation in Joda, the data collection may be incomplete.

Host communities and healthcare systems are struggling to cope with the increased demand for health and other services, as well as with morbidity and mortality among returnees and refugees. OCV mop-up campaign targeting new arrivals, was conducted in Renk in response to the ongoing influx achieving a total coverage of 60% (75 986). Ongoing vaccination at targeted points of entry

Acknowledgments

Thanks to the State Surveillance Officers, Health Cluster partners for sharing the weekly IDSR data. To access the IDSR bulletins for 2025 use the link below:
<https://www.afro.who.int/countries/south-sudan/publication/south-sudan-weekly-integrated-disease-surveillance-and-response-bulletin-2025>

This bulletin is produced by the Ministry of Health with Technical support from WHO

For more help and support, please contact:

Dr Joseph Lasu Hickson
 Emergency Preparedness and Response
 Ministry of Health Republic of South Sudan
 Email: josh2013.lasu@gmail.com
 Phone number +211921395440

Dr. Kediende Chong
 Director General Preventive Health Services
 Ministry of Health
 Republic of South Sudan
 Email: mkedienne@gmail.com
 Phone number: +21192888461

Dr BATEGEREZA, Aggrey Kaijuka
 WHO-EPR Team Lead
 Email: bategerezaa@who.int
 Phone number: +211 924222030

Notes

WHO and the Ministry of Health gratefully acknowledge the surveillance officers [at state, county, and health facility levels], health cluster and Health System Transformation Project (HSTP) partners who have reported the data used in this bulletin. We would also like to thank ECHO, USAID, and the World Bank for providing financial support.

The data has been collected with support from the EWARS project. This is an initiative to strengthen early warning, alert, and response in emergencies. It includes an online, desktop and mobile application that can be rapidly configured and deployed in the field. It is designed with frontline users in mind and built to work in difficult and remote operating environments. This bulletin has been automatically published from the EWARS application.

More information can be found at: <http://ewars-project.org>

Data source: DHIS-2 and EWARS