

# Mpox Incident Management Team Ministry of Health, Kampala, Uganda

Email: info@health.go.ug Hotline: 0800-100-066 Website: www.health.go.ug Date: August 20, 2025

# **National Mpox Situation Report**

# 1 Summary

Total Cases	New Last 24h	Number of Deaths	Case Fatality Rate (%)
7,874	0	48	0.61

#### **Key Points:**

- 1. Epidemic remains active. Todate 82% (120/146) of districts resported at least one case since the beginning of the outbreak and 34%(50/146) reporting new cases in the past 21 days.
- 2. **Resurgence.** Whereas the overall epicurve indicates a general decline in incident cases, the three previous epicenters of **Mbarara City**, **Masaka City and Kampala** continue to report sporadic cases.
- 3. **High-risk mortality observed.** Cumaulatively 48 deaths have occurred among confirmed cases, half (47.9%) of whom were co-infected with HIV.
- 4. Young adults are disproportionately affected. Attack rates are highest among females aged 24–29 (AR: 0.9/100,000). Among males, the most affected agegroup is 35-39 (AR: 1.5/100,000).

	Weekly and Cumulative Confirmed Mpox Cases <sup>1</sup>						
Year	Epi Week	Weekly Confirmed Cases	Cumulative Confirmed Cases	Percent Change (%)			
2025	24	118	6857	1.75			
2025	25	141	6998	2.06			
2025	26	233	7231	3.33			
2025	27	173	7404	2.39			
2025	28	108	7512	1.46			
2025	29	74	7586	0.99			
2025	30	124	7710	1.63			
2025	31	83	7793	1.08			
2025	32	71	7864	0.91			
2025	33	10	7874	0.13			

<sup>&</sup>lt;sup>7</sup> This is data for the last 10 Epiweeks. % Week-on-Week Change

# 2 Surveillance and Epidemiology

### 2.1 Summary Table of Incident Cases by Age and Sex

512

305

203

**7,466**<sup>3</sup>

#### Distribution across demographic % of All Males<sup>2</sup> % of All Females **Age Group Total Cases** % of Cases Females Males 0-4 4.7% 4.7% 350 201 149 5-9 323 4.3% 182 4.2% 141 4.5% 10-14 222 3.0% 120 2.8% 102 3.2% 11.4% 15-19 689 9.2% 329 7.6% 360 20-24 21.9% 1,241 16.6% 551 12.8% 690 25-29 1,554 20.8% 857 19.9% 697 22.1% 30-34 1,171 719 452 14.3% 15.7% 16.7% 35-39 9.3% 896 12.0% 604 14.0% 292

361

226

161

4,311

8.4%

5.2%

3.7%

100.0%

151

79

42

3,155

4.8%

2.5%

1.3%

100.0%

**Cases by Age Group and Gender** 

40-44

45-49

50±

### 2.2 Summary Table of Incident Cases by the Top 10 Districts

6.9%

4.1%


2.7%

100.0%

Top 10 Districts Summary							
District	Total Cases	Total Deaths	Cases Last Epiweek	Deaths Last Epiweek	% Change in Cases		
Kampala District	2,712	16	2	0	0.0%		
Wakiso District	950	8	0	0	-100.0%		
Mbarara City	687	4	0	0	NA		
Masaka City	344	3	0	0	NA		
Mukono District	284	2	0	0	NA		
Hoima City	207	2	0	0	-100.0%		
Lyantonde District	143	0	0	0	NA		
Nakasongola District	128	1	0	0	NA		
Luwero District	112	0	0	0	-100.0%		
Mubende District	97	0	0	0	NA		

<sup>&</sup>lt;sup>1</sup> The percentage change in cases is calculated by comparing the number of cases in the most recent epidemiological week to the previous epidemiological week

#### 2.3 Proprotion of Affected Districts




 $<sup>^{^{1}}\,\</sup>mathrm{Percentage}$  of all cases within each age group


 $<sup>^{2}</sup>$  Percentage of all cases within each gender category

<sup>&</sup>lt;sup>3</sup> Total cases less due to some missing age information


### 2.4 Overall Distribution of Incident Cases by Time




### 2.5 Epicurves of the Top 10 Districts





#### 2.6 Overall Distribution of Incident Cases by Time







# 2.7 Overall Distribution of Incident Cases by Age and Sex







# 2.8 Overall Distribution of Deaths by Place and Sex - Age







# 2.9 Distribution of Deaths by HIV Status







### 2.10 Overall Attack Rates by Age







# 2.11 Distribution of Incident Cases by Place(Absolute Numbers)







### 2.12 Attack Rates per 100K Population by Place





# 2.13 Attack Rates per 100K Population by Place and Top 10 Districts







# CASE DEFINITION

#### COMMUNITY CASE DEFINITION

 An Illness with signs of skin rash, fever, headache, muscle aches, back pain, and body weakness.

#### SUSPECTED CASE

 Any person with skin rash on any part of the body not expained by any locally relevant common cause of papular or vesicular rash, mucosal lesions or swollen lymph nodes with acute onset of fever (>38.5 °C), hadache, myalgia (muscle pain/body ache), back pain, profound weakness, or fatigue.

#### PROBABLE CASE

 A suspect case with history of contact to probable or confirmed Mpox case 21 days before the onset of signs pr symptoms

#### OR

 Has an epidemiological link to a probable or confirmed case of Mpox in the 21 days before symptom onset including multiple and/or casual sexual partners in the 21 days before symptom onset: has a positive test result for orthopoxviral infection (e.g., OPXV-specific PCR without MPXV-specific PCR or sequencing)



#### **CONFIRMED CASE**

 A person with laboratory confirmed MPXV infection by detection of Unique sequences of Viral DNA by real-time polymerase chain reaction (RT-PCR) and/or sequence

#### Contact Us

Twitter: @MinofHealthUG Website: https://health.go.ug/ Talk to Us: 0800-100-066

Write to Us: helpdesk@health.go.ug

