

Every 2 minutes, a child dies of malaria. All children should have access to life-saving services that can prevent, detect and treat the disease.

#endmalaria






ZERS MALARIA STARTS WITH ME

Every 2 minutes, a child dies of malaria. All children should have access to life-saving services that can prevent, detect and treat the disease.

#endmalaria







Sleeping under insecticide-treated nets is one of the most effective ways to prevent malaria.

#endmalaria





ZERWINGLAS IN A STARTS WITH ME

Spraying the indoor walls and ceilings of homes with insecticides is a powerful way to rapidly reduce malaria transmission.

#endmalaria







STARTS WITH ME

Only 1 in 3 pregnant women in Africa has access to the WHO-recommended 3 or more doses of preventive malaria therapy.

#endmalaria






ZERS MALARIA STARTS WITH ME

Time is of the essence in detecting and treating malaria. Rapid diagnostic tests provide quick results and are simple to perform and interpret.

#endmalaria






ZERW MALARIA STARTS WITH ME

Prompt treatment with an effective antimalarial drug is essential to prevent a mild case of malaria from progressing to severe disease or death.

#endmalaria






ZERS MALARIA STARTS WITH ME

Prompt treatment with an effective antimalarial drug is essential to prevent a mild case of malaria from progressing to severe disease or death.

#endmalaria







In many settings, community-based health workers play a key role in preventing, detecting and treating malaria.

#endmalaria



