

Issue number 1

Issue Date 11 April 2023

Epidemiological week Week 14 (April 03 - 09, 2023)

**Suspected Measles Cases** 

New (1) cases with date of onset in week 14

Cumulative (6027) old and new cases

**Lab Confirmed Cases** 

Deaths

New (0)

Cumulative (584)

New (0)

Cumulative (59)

### **Background**

The Measles outbreak was declared on the 10<sup>th</sup> of December, 2022, by the South Sudan National Ministry of Health. Data obtained from January 1, 2022, to April 02, 2023, shows that a total of 65 counties across all 10 States have reported at least one suspected measles case, with confirmed outbreaks in 37 counties (23 in 2022 and 16 in 2023 including 2 counties from 2022). Twenty-one (21) counties conducted reactive campaigns with 978,275 children vaccinated. A cumulative sum of 6,027 suspected cases have been reported; 4,137 and 1,890 in 2022 and 2023, respectively. An attack rate of 0.4 cases per 1000 population and a non-measles febrile rash rate of 4.3 cases per 100,000 population, respectively reported in this outbreak.

### Key weekly Situation Update as of 09 April 2023

- One (1) suspected case has been reported during the reporting week (Canal Pigi)
- No death was reported in week 14. Last reported death was in week 11 (Aweil Centre)
- No newly confirmed outbreak this week. Last confirmed outbreak was in week 11 (Lafon)

#### **Key Update for 2023**

- Fifty one (51) counties have reported suspected measles cases in 2023, of which thirty-four (34) counties have at least one confirmed case
- Sixteen (16) counties (Mvolo, Mundri East, Pariang, Awerial, Rumbek Centre, Kapoeta South Tonj South, Tonj North, Bor South, Aweil Centre, Rumbek East, Gogrial East, Juba, Tonj East Wulu and Lafon) have confirmed outbreaks in 2023.
- Reactive vaccination campaigns were conducted in 21 counties (16 counties in 2022, 5 counties in 2023), with 978,275 children vaccinated
- The latest reactive measles campaigns were conducted in Pamir refugee camp
- EPI-TWG recommends no more reactive campaign rather the focus now is to support the national campaign starting on the 25<sup>th</sup> April, 2023


#### Summary of cases as of 09 April 2023

Table1: Yearly distribution of cases by final classification

FINAL CLASSIFICATION	202	22	202	TOTAL	
	NO. OF CASES	%	NO. OF CASES	%	
Lab confirmed	392	9.5	192	10.3	584
Epi-linked	2825	68.3	284	15.3	3111
Clinically Compatible	391	9.5	1320	70.9	1711
Total	3608	87.2	1796	96.5	5404
Discarded (-ve)	529	12.8	94	5.0	623
Grand Total	4137	100.0	1890	100.0	6027

Out of the 6,027 suspected measles cases, 3,111(51.6%) are epi-linked, 584(9.7%) lab-confirmed, 1,711(28.4%) clinically compatible, and 610(10.3) discarded cases have been reported from epidemiological week 1, 2022, to week 14, 2023.

Figure 1: Deaths by year and final classification



A total of 59 measles-related deaths were reported since January 2022, with only 3 deaths among the lab-confirmed measles cases and 41 among the epilinked cases. The case fatality rate (CFR) is 1.0%

Table 2.0: Distribution of measles cases, deaths, attack rates, CFR and response by counties with controlled outbreaks, 2022 - 2023

State	County with confirmed outbreak	Cases	Lab- confirmed cases	Deaths	CFR %	Attack rate/1000pop	Date of onset _1st Case	Date of onset _Latest Case	Date of response/Campaign	Campaign coverage (%)	Outbreak Status
CES	Terekeka	65	17	0	0.0	0.3	09/05/2022	19/01/2023	2-9 Nov	106%	Controlled
											with Response
EES	Torit	49	24	2	4.1	0.3	18/01/2022	12/02/2023	9-31 Mar	95%	Controlled with Response
	Kapoeta South	7	6	0	0.0	0.0	01/012023	04/02/2023			Controlled without
											Response
JONGLEI	Nyirol	124	27	1	0.8	0.7	02/11/2022	17/03/2023	Ongoing		Controlled
											with
	Bor South	28	18	0	0.0	0.1	23/03/2022	14/02/2023			Response Controlled
	Doi Douin		10	Ŭ	0.0	0.1	25/ 05/ 2022	1 1, 02, 2020			with
	G "	105	10		4.0	0.0	24/04/2022	00/02/2022	10.247	000/	Response
LAKES	Cueibet	185	19	9	4.9	0.8	24/01/2022	09/02/2023	18-24 Jan	88%	Controlled with
											Response
	Yirol West	449	24	6	1.3	2.3	20/05/2022	15/03/2023	18-24 Jan	129%	Controlled
											with Response
	Rumbek Centre	18	6	0	0.0	0.1	01/01/2023	07/02/2023			Controlled
											without
	Rumbek East	8	4	0	0.0	0.0	26/02/2022	22/02/2023			Response Controlled
	Rumber East	O O		Ü	0.0	0.0	20/02/2022	22/02/2023			without
	_										Response
UNITY	Leer	24	11	1	4.2	0.2	11/05/2022	29/01/2022		95%	Controlled with
											Response
	Rubkona (Bentiu	443	19	4	0.9	2.4	23/09/2022	24/02/2023	22-29 Nov	77.2	Controlled
	IDP)										with Response
	Panyijar	179	1	1	0.6	1.8	09/02/2022	17/02/2023			Controlled
	• •										without
	Pariang	89	25	0	0.0	0.6	17/12/2022	15/02/2023			Response Controlled
	1 arrang	09	23	U	0.0	0.0	17/12/2022	13/02/2023			without
											Response
UPPER NILE	Maban	202	6	0	0.0	2.5	02/01/2022	16/11/2022	7-15 Mar	98%	Controlled with
NILL											Response



### Republic of South Sudan

## Measles Outbreak and Response Weekly Situation Update

							•		•		
	Melut	163	12	0	0.0	1.5	18/10/2022	16/02/2023	16-24 Dec	114%	Controlled with Response
	Malakal	130	11	0	0.0	0.6	08/07/2022	01/02/2023		73%	Controlled with Response
WARRAP	Gogrial West	94	19	0	0.0	0.2	02/01/2022	01/01/2023	1-8 Jun	95%	Controlled with Response
	Tonj North	52	0	0	0.0	0.2	10/03/2022	21/01/2023			Controlled without Response
	Tonj South	8	3	0	0.0	0.0	20/04/2023	10/01/2023			Controlled without Response
	Gogrial East	14	12	0	0.0	0.1	10/02/2023	21/02/2023			Controlled without Response
WBeG	Jur River	72	5	0	0.0	0.3	29/01/2022	28/10/2022	Not done		Controlled without Response
	Raja	50	16	0	0.0	0.5	08/01/2022	21/11/2022	2 May-5 Jul	70%	Controlled with Response
	Wau	195	16	0	0.0	0.7	09/01/2022	22/12/2022	Not done		Controlled without Response
WES	Tambura	37	6	0	0.0	0.4	13/02/2022	28/09/2022	1-6 Apr	102%	Controlled with Response
	Mvolo	33	5	1	3.1	0.4	26/05/2022	11/03/2023			Controlled without Response
	Mundri East	23	3	0	0.0	0.4	18/04/2022	23/02/2023			Controlled without Response

Table 2.1: Distribution of measles cases, deaths, attack rates, CFR and response by counties with active outbreaks, 2022 - 2023

State	County with confirmed outbreak	Cases	Lab- confirmed cases	Deaths	CFR %	Attack rate/1000pop	Date of onset _1st Case	Date of onset _Latest Case	Date of response/Campaign	Campaign coverage (%)	Outbreak Status
CES	Juba	1108	18	19	1.8	1.7	16/01/2022	16/03/2023	29 Aug-29 Oct	69-98%	Active with Response
EES	Lafon	6	4	0	0.0	0.0	03/03/2023	08/03/2023			Active without Response
LAKES	Yirol East	126	4	2	1.6	1.0	12/04/2022	05/03/2023	18-24 Jan	141%	Active with Response
	Awerial	21	6	0	0.0	0.2	14/10/2022	14/03/2023			Active without Response




### Republic of South Sudan

### Measles Outbreak and Response Weekly Situation Update

	Wulu	30	16	0	0.0	0.4	06/03/2022	18/03/2023			Active without Response
NBeG	Aweil Center	393	73	1	0.4	3.8	21/03/2022	25/03/2023	14-22 Jun	155%	Active with Response
	Aweil East	431	29	4	0.9	0.8	10/03/2022	03/03/2023	13-26 Aug	91%	Active with Response
	Aweil North	68	15	0	0.0	0.3	03/03/2022	07/03/2023	14-21 Jul	97%	Active with Response
	Aweil South	156	17	3	1.9	1.2	20/04/2022	07/03/2023	13-26 Aug	97%	Active with Response
	Aweil West	722	27	3	0.4	2.5	06/01/2022	03/03/2023	14-22 Jun	94%	Active with Response
WARRAP	Tonj East	10	8	0	0.0	0.0	11/02/2023	16/03/2023			Active without Response

Note: Cueibet (4.9%) and Leer (4.2%) are the counties with the highest case fatality rates while Aweil Centre (3.8 cases per 1000 pop) and Maban (2.5 cases per 1000 pop) have the highest attack rates among counties with confirmed outbreaks.





Note: Measles cases have been reported from different counties throughout 2022 and week seven of 2023. The observed peaks are driven by different counties that experienced surge in measles cases at different times.




Table 3: Distribution of reported measles cases and deaths by age groups in South Sudan, 2022-2023

2023 2022 No. of No. of Age Groups cases **%** Deaths % cases **% Deaths 0-11 mths** 1137 2 0.5 27.5 10 0.9 401 21.2 1-4 yrs 46.6 1931 46.7 27 1.4 881 8 0.9 5-9 yrs 612 4 3 1.0 14.8 0.7 308 16.3 10-14 yrs 277 2 0.7 128 0.8 6.7 6.8 15+ yrs 4.4 180 2 1.1 0 0.0 172 9.1 0.7 **Total** 4,137 100.0 45 1.1 1,890 100.0 14


**Note:** Majority (72.2%) of all the measles cases (with age variable collected) are children below 5 years of age considering both years. The case fatality rate is highest (1.4% and 1.0%) among children age 1-4 years in 2022 and 5-9 years in 2023. 47 out of the 59 deaths were among children below age 5 years

Figure 3: Distribution of measles cases and their vaccination status, 2022-2023



**Note:** Generally, 4,536(75.3%) were unvaccinated (zero, unknown) including 3,317(73.1%) children <5 years. Among children less than one year old (1,538 cases), 84.7% (1,302 cases) have not been vaccinated against measles compared with 236(15.3%) vaccinated. This trend is observed across all the age groups.

Figure 4: A map showing counties affected by measles and their outbreak status in 2022 and 2023



## Measles Outbreak and Response Weekly Situation Update

Note: All the 10 states have been affected as the measles virus spread across the counties in 2022/2023

#### Coordination

- Incident management system in place to respond to the Measles outbreak
- The measles outbreak and its response have been adopted as a standing agenda in different fora (National Steering Committee, EP and R, HCC, and EPI TWG).
- Emergency Preparedness and Response (EP&R), EPI-TWG, and Health Cluster forums discuss the response's technical and operational issues, challenges, and gaps.
- Working with partners in identified counties for outbreak response and other interventions.
- MOH (state and county) to lead coordination activities of the planned measles campaign
- Partners Measles sitrep sent on weekly basis

### **Surveillance and Laboratory**

- Enhanced surveillance ongoing in silent counties
- Continue to collect samples in all counties with suspected measles cases.
- Ensure weekly reporting (including zero dose reporting where applicable)

### **Case Management**

- The MOH, WHO, and partners are intensifying measles case management (including vitamin A administration), surveillance, and risk communication in locations with suspected and confirmed outbreaks
- Training on use of measles kits to support case management is ongoing

#### **Vaccinations**

- Planning is underway for a nationwide non-selective measles vaccination campaign to start on 25<sup>th</sup> April, 2023.
- Measles Follow-up campaign microplan compilation and validation is finalized
- Training of vaccinators, recorders, data clerks, nutritional focal persons, communication focal points planned to start on 18<sup>th</sup> April, 2023.

### **Deamand Generation/Communication**

- Bi-weekly Risk Communication and Community Engagement (RCCE)
- Leveraging on the activities of the Boma Health Workers (BHWs) within Payams for effective awareness creation
- Capacity building of Payam vaccine champions for effective vaccination activities

### **Adverse Events Following Immunization (AEFI)**

- Strengthening AEFI reporting network from national to payam level ongoing.
- Distribution of standardized AEFI operational field guide for focal persons at all levels

### Operational challenges and gaps

- Inadequate detailed investigation of suspected measles cases and deaths in counties reporting
- Inadequate sample collection for laboratory confirmation and classification cases of suspected measles cases
- A high proportion of unvaccinated/unknown status children (75.3%) was detected among the cases, noting routine immunization gaps.

### **Way Forward**

- MOH and partners to prioritize planned nationwide measles campaign
- State and County MOH to continue weekly reporting of measles cases (including zero reporting where applicable)
- Prompt detection and management of measles cases
- Strengthen routine immunization

For more information, please contact:

Dr. John Rumunu	Dr. Joseph Lasu	South Sudan PHEOC	Dr Aggrey Bategereza
Incident Manager	Emergency Preparedness & Response	E: sspheoc@gmail.com	EP&R TL, WHO
E: ori.moiga@gmail.com	Director	P: +211 925 851 662/	E: bategerezaa@who.int
P: +211 924 767 490	E: josh2013.lasu@gmail.com	+211 917 235 355	P: +211 924222030
	P: +211 921 395 440		

This report was prepared with technical support from World Health Organization, Juba.