

Lab Confirmed

Cases

New (0)

Cumulative (922)



Deaths

New (0)

Cumulative (197)

CFR 1.8

Measles Outbreak and Response Weekly Situation Update

Issue number	36
Issue Date	10 November 2023
Epidemiological week	Week 44 (30 October - 05 November, 2023)

# **Suspected Measles Cases**

New (1) cases with date of onset in week 44 Cumulative (11,196)

\* The above data is cumulative from 2022

#### Background


As of Epi week 44, 2023, 7,048 suspected measles cases were reported, with 530 (7.5%) lab-confirmed, 152 deaths, and a case fatality rate of 2.2.

After the nationwide Integrated Measles Follow-up Campaign in May 2023, reactive campaigns were conducted in seventeen (17) counties in two phases: Phase I (Renk, Aweil East, Aweil North, Aweil West) and Phase II (Rubkona, Malakal, Melut, Leer, Juba, Abyei, Gogrial West, Twic, Ayod, Longechuk, Aweial, Yirol East and Fangak) in response to the outbreaks reported amongst the returnees from Sudan. 680,917 children (80,482 returnees and 600,435 hosts) have since been vaccinated with the Measles vaccine (Details in Appendix 1 and 2 below).

Despite observing a downward trajectory in the suspected measles cases since the peak in July 2023, week 27 (refer to figure 2), the persisting outbreak risks demand continued attention.

Epi weeks 41-44 data shows no ongoing outbreaks but nine counties reporting suspected/confirmed cases but are yet to reach the outbreak threshold, warranting further investigation and laboratory validation.

# Percentage summary of measles cases by state: As at the end of 2023 week44 100% 80% 60% 20% CES EES JON LAK NBG UNI UPN WAR WBG WES States Suspected Cases Lab Confirmed Deaths



#### Key weekly Situation Update as of 05 November 2023

- One (1) new case reported this week from Kapoeta East
  - A late batch of additional 89 cases in weeks 4-42 have been reported this week from Tonj North (56) and Kapoeta East (33).
- No newly confirmed lab cases in week 44.
- No new death has been reported this week. However, one additional death in week 36 from Tonj North was reported.
- No newly confirmed outbreaks, but Juba, Abyei, Kapoeta East, Lafon, Nyirol, Pibor, Fangak, Pigi-Canal (Khor Fulus), and Renk continue to report suspected/confirmed cases that have not reached the outbreak threshold in the last four weeks and need to collect more samples for testing as per the revised SOP.




### Summary of cases as of 05 November 2023

Table 1: Distribution of cases by final classification: 2023						
FINAL CLASSIFICATION	2023					
	NO. OF CASES	%				
Lab confirmed	530	7.5				
Epi-linked	1,580	22.4				
Clinically Compatible	4,651	66.0				
Total	6,761	95.9				
Discarded (-ve)	287	4.1				
Grand Total	7,048	100.0				


Out of the 7,048 suspected measles cases, 530 (7.5%) are lab-confirmed, 1,580 (22.4%) epi-linked, 4,651(66.0%) clinically compatible, and 287(4.1%) discarded cases have been reported from epidemiological week 1 to week 44, 2023. A total of 44 rubella positive cases from the discarded (negative measles cases)


Figure 1: Distribution of deaths by final classification:



World Health Organization South Sudan

A total of 152 measles-related deaths were reported since January 2023. 71%(108) were among clinically compatible cases whereas 28%(43) and 1%(1) occurred among the epi-linked and discarded cases respectively.





Note: Measles cases have been reported from different counties throughout 2023. The observed peaks are driven by different counties that experienced a surge in measles cases at different times. The Sudan crisis started in week 14 with the influx of returnees and refugees since then. The nationwide MFUPC also took place from week 17-20.





## Measles Outbreak and Response Weekly Situation Update

Figure 3: A map showing outbreak counties in the last four weeks (weeks 41-44):2023





Table 2: Distribution of reported measles cases and deaths by age groups in South Sudan,  $2023\,$ 

	2023						
Age Groups	No. of cases	%	Deaths	%			
<1 Yr	1,272	18.0	26	2.0			
1-4 yrs	3,441	48.8	91	2.6			
5-9 yrs	1,350	19.2	18	1.3			
10-14 yrs	469	6.7	7	1.5			
15+ yrs	516	7.3	10	1.9			
Total	7,048	100.0	152	2.2			

*Note:* More than half 4,713(67%) of all the measles cases are children below 5 years of age. The case fatality rate is highest (2.6%) among children age 1-4 years. Most (117)77% out of the 152 reported deaths were among children below age 5 years

Figure 3: Percentage distribution of measles cases and their vaccination status: 2023



*Note:* Generally, 5,607(80%) were unvaccinated (zero, unknown) including 3,709(66%) children <5 years. Among children less than one year old (1,272 cases), 80% (1,020 cases) have not been vaccinated against measles compared with 251(20%) vaccinated. This trend is observed across all the age groups.

#### Coordination

- The Incident management structure remains in place and is led by the MOH
- The vaccination response and the measles outbreak post-Sudan crisis plan were developed and shared with partners.
- The country has finalized a budget for the Measles outbreak component of the Sudan crisis
- IAR done awaiting final report and recommendation.

### Surveillance and Laboratory

- Enhanced surveillance ongoing in silent counties
- Sample collection for all counties that last had measles outbreak confirmed in the last 4 weeks to track the Measles epidemiology.





### Measles Outbreak and Response Weekly Situation Update

- Enhance surveillance for VPDs, especially at the points of entry for the refugees, returnees from Sudan, and in the silent counties
- Ensure weekly reporting (including zero dose reporting where applicable)

### Case Management

- The MOH, WHO, and partners are intensifying measles case management (including vitamin A administration), surveillance, and risk communication in locations with suspected and confirmed outbreaks
- In collaboration with partners and MOH, WHO is prepositioning kits to support case management in counties with active outbreaks.

### Vaccinations

- Phase I Measles reactive vaccination campaign had a total of 65,605 children under 15 years vaccinated in 5 counties (Renk, Aweil East, Aweil North, Aweil West, and Rubkona)
- A total of 15 counties were targeted for the Phase II reactive measles vaccination campaign, and 14 counties were targeted for POE/Transit post-vaccination
  - Seven counties (Ayod, Leer, Fangak, Abyei, Gogrial West, Bentiu POC, and Malakal) were supported by Partners (MEDAIR, HFO, IHO, MSF, and Save the Children).
  - $\circ$  WHO supported the other counties, while UNICEF supplied all the vaccines required
- As of week 44, a total of 13 counties have implemented the campaign (Ayod, Leer, Juba, Rubkona, Malakal, Melut, Abyei, Longechuk, Gogrial West, Twic, Awerial, Yirol East and Fangak). The total number of children vaccinated in the phase II Measles reactive campaign is 615,312 (89%) of which 61,889 (10%) of them are returnees.
- Akobo county in Jonglei state is newly added outbreak affected counties targeted for reactive campaign and prioritized to use the available vaccine stock to respond. Accordingly, the vaccine and supply delivery scheduled on 10<sup>th</sup> of Nov to Akobo and Walgak.
  - Vaccinators selection and training is complete and freezing of icepack is ongoing. The county is waiting the arrival of the vaccine to kick off the campaign.
- Two counties (Maban and Maiwut) are pending implementation due to vaccine stockout at the national level. The country received 90,000 doses of Measles vaccine on the 12<sup>th</sup> of November which will cover at least Maiwut county. Therefore, Vaccine and supply delivery to Maiwut is scheduled end of this week and tentative implementation will be from the 20<sup>th</sup> of Nov. Maban County will wait the 2<sup>nd</sup> installment of the vaccine to arrive in the country.

### **Demand Generation/ Communication**

• Demand generation activities ongoing for the planned mop-up and reactive campaigns as well as routine immunization (radio talk shows and jingle broadcast)

### **Operational challenges and gaps**

- Inadequate detailed investigation of suspected measles cases and deaths in counties reporting suspected cases of measles
- Inadequate sample collection for laboratory confirmation and classification cases of suspected measles cases
- A high proportion of unvaccinated/unknown status children (80%) was detected among the cases, noting the poor quality of investigations and gaps in immunization especially among the returnees and refugees.
- Late and constant retrospective reporting of suspected cases
- Incomplete and inaccurate filling of line lists and CIFs



#### Way Forward

- MOH and partners to support the planned mop-up campaign and other measles activities.
- State and County MOH to continue weekly reporting of measles cases (including zero reporting where applicable)
- UNICEF to fill in the anticipated Measles vaccine rupture.
- Prompt detection and management of measles cases
- Addition of Vitamin A in future outbreak responses
- Blood samples to be collected from suspected cases in counties that continue to report and the lab confirmation is beyond 4 weeks to monitor the epidemiology
- Collection of nasopharyngeal swaps from new cases
- Strengthen routine immunization at POEs and within the community
- Prioritize case management to reduce morbidity and mortality.
- Enhance risk communication and community engagement in health and help-seeking behavior.

#	County	Target age group	Type of vaccination	Supporting Partner	Status of Implementation
1	Leer	6 to 59 months	Reactive	HFO, /Unicef	• Completed (Final data submitted)
2	Rubkona	6 months to 15 years	Reactive	WHO/MSF/ Unicef	• Completed (Final data submitted)
3	Malakal	6 months to 15 years	Reactive	MSF-Spain/Unicef	• Completed (Final data shared)
4	Juba	6 months to 15 years	Mop up/ Reactive	WHO/Unicef	• Completed (Final data shared)
5	Melut	6 months to 15 years	Reactive	WHO/Unicef	• Completed (Final data submitted)
6	Abyei	6 to 59 months	Mop Up	Save the Children/ Unicef	• Completed (Final data submitted but waiting to be uploaded on ODK)
7	Gogrial West	6 to 59 months	Reactive	IHO, /Unicef	• Completed (Final data submitted)
8	Twic	6 to 59 months	Reactive	WHO	• Completed (Final data yet to be submitted)
9	Yirol East	6 to 59 months	Reactive	WHO	• Completed (Final data submitted)
10	Awerial	6 to 59 months	Reactive	WHO	• Completed (Final data submitted)
11	Ayod	6-59 months	Mop Up	MEDAIR/IMA/Uni cef	• Complete (Final data submitted but waiting for ODK upload)
12	Fangak	6 to 59 months	Mop up/Reactive	HFO	• Complete (Final data submitted but waiting for ODK upload)
13	Logechuk	6 months to 15 years	Reactive	WHO/Unicef	<ul><li>Partially Complete</li><li>(Dajo Payam is yet to implement)</li></ul>
14	Maban	6 months to 15 years	Reactive	WHO/Unicef	• Yet to implement delayed due to
15	Maiwut	6 months to 15 years	Mop up	WHO/Unicef	Vaccine stockout in the country

Appendix 1: Measles Reactive/Mop-Up Vaccination (Sept to date) 2023

World Health Organization South Sudan





Measles Outbreak and Response Weekly Situation Update

10	б	Akobo	6 to 59 months	Reactive	WHO/Unicef	Vaccine and supply delivery scheduled for 10 <sup>th</sup> of Nov 2023
		6 counties wit	th confirmed OBR in th			
		(Kapoeta Eas North)	t, Kapoeta South, Cuie	<ul> <li>Response not yet planned due to Vaccine shortage</li> <li>Discussion ongoing between targeted vs. county wide campaign</li> </ul>		

## Appendix 2: Measles Reactive/Mop-Up Vaccination Data from 12 counties

County			Measles			OPV			Status		
	Target	Host	Returnee	Total	Coverage	Target	Host	Returnee	Total	Coverage	
Rubkona	158,970	80,862	15,141	96,003	60%	166,035	88,989	16,505	105,494	64%	Complete
Leer	22,515	20,231	4,837	25,068	111%	24,885	21,012	4,860	25,872	104%	Complete
Abyei	22,761	19,276	2,242	21,518	95%	-	-	-	-		Complete
Juba	96,015	75,756	22,312	98,068	102%	104,851	68,742	10,471	79,213	76%	Complete
Gogrial West	81,376	105,198	1,401	106,599	131%	89,942	112,685	1,216	113,901	127%	Complete
Twic	66,070	51,765	3,702	55,467	84%	73,025	61,283	4,998	66,281	91%	Complete
Ayod	42,997	10,136	-	10,136	24%		-	-	-		Ongoing
Malakal	29,291	25,654	3,328	28,982	99%	30,592	25,298	3,422	28,720	94%	Complete
Melut	30,470	31,177	652	31,829	104%	31,824	27,795	1,595	29,390	92%	Complete
Longechuk	50,289	33,942	7,189	41,131	82%	52,524	30,331	7,496	37,827	72%	Ongoing
Awerial	33,410	28,230	-	28,230	84%	36,927	20,072	-	20,072	54%	Complete
Yirol East	28,049	35,423	512	35,935	128%	31,001	30,916	597	31,513	102%	Complete
Fangak	29585	25,973	573	26,546	90%	32,700	25,014	923	25,937	79%	Complete
Total	691,798	553,423	61,889	61 5,312	89%	674,307	512,137	52,083	564,220	84%	

For more information, please contact:									
Dr. John Rumunu Dr. Joseph Lasu South Sudan PHEOC Dr Aggrey Bategereza									
Incident Manager	Emergency Preparedness & Response	Emergency Preparedness & Response E: sspheoc@gmail.com EP&R TL, WHO							
E: ori.moiga@gmail.com	Director P: +211 925 851 662/ E: bategerezaa@who.int								
P: +211 924 767 490	P: +211 924 767 490 E: josh2013 lasu@gmail.com +211 917 235 355 P: +211 924222030								
P: +211 921 395 440									
This report was prepared with technical support from World Health Organization, Juba.									